

平成30年度歯周病検診等結果のまとめ

兵庫県健康福祉部健康局健康増進課調べ

1 調査項目

調査項目	市町数
全体	41
対象者数	34
要精検者数	41
現在歯数	41
歯肉出血(BOP)	41
歯周ポケット(PD)	41
歯間部清掃用具の使用状況	40
定期的な歯石除去等の受診状況	36
定期的な歯科健診の受診状況	40
8020目標値達成者数	41

※各項目、実施市町のみ計上し割合を算出

※「20歳」は「15～19歳」と「20～24歳」のデータの平均値、「25歳」は「20～24歳」と「25～29歳」のデータの平均値として算出

2 受診率

単位(%)

年齢・性別	全県	地域別									
		神戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但馬	丹波	淡路
全体	2.1	7.4	0.9	1.7	7.5	1.6	1.3	1.6	4.9	5.4	2.2
男	1.5	4.3	0.5	1.2	6.0	1.2	0.8	1.3	4.2	3.7	2.1
女	2.6	10.3	1.4	2.1	8.9	1.9	1.7	1.9	5.7	7.0	2.3
40歳	2.6	7.5	1.8	2.0	6.7	1.4	1.2	1.2	4.7	4.2	2.6
男	1.3	3.6	0.6	1.2	4.5	0.8	0.5	0.7	3.8	2.5	2.2
女	3.7	11.1	3.1	2.8	8.9	1.8	1.9	1.6	5.6	5.8	3.0
50歳	1.8	7.3	0.5	1.1	5.6	1.2	1.2	1.2	3.5	5.5	1.8
男	1.2	5.0	0.3	0.7	3.9	0.9	0.7	0.8	2.5	4.1	1.5
女	2.3	9.6	0.6	1.5	7.2	1.5	1.7	1.7	4.4	6.9	2.1
60歳	1.8	-	0.5	1.6	7.0	1.4	1.2	1.5	4.5	9.3	2.2
男	1.3	-	0.4	1.1	5.4	0.9	0.7	1.2	3.2	6.6	2.1
女	2.2	-	0.6	2.1	8.5	1.8	1.6	1.7	6.4	12.0	2.3
70歳	2.2	-	0.9	2.1	10.0	2.3	1.4	2.2	6.4	2.2	2.2
男	2.1	-	0.8	2.0	9.2	2.2	1.1	2.1	6.6	1.5	2.4
女	2.4	-	1.1	2.3	10.7	2.4	1.6	2.2	6.2	2.9	2.0

※西宮市、市川町、神河町、宍粟市、豊岡市、養父市、朝来市は除く

2(1) 受診者数

単位(人)

年齢・性別	全県	地域別									
		神戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但馬	丹波	淡路
全体	20,381	3,128	2,855	3,492	3,065	2,104	507	1,579	795	1,292	1,564
男	7,184	886	753	1,220	1,188	826	153	627	352	443	736
女	13,197	2,242	2,102	2,272	1,877	1,278	354	952	443	849	828
40歳	5,946	1,516	1,416	844	635	399	114	263	146	219	394
男	1,571	352	223	243	215	130	25	83	62	67	171
女	4,375	1,164	1,193	601	420	269	89	180	84	152	223
50歳	4,857	1,612	390	695	588	409	129	301	124	312	297
男	1,656	534	122	225	205	154	38	95	45	114	124
女	3,201	1,078	268	470	383	255	91	206	79	198	173
60歳	3,700	-	327	745	562	424	99	342	191	621	389
男	1,354	-	119	242	210	142	29	136	77	216	183
女	2,346	-	208	503	352	282	70	206	114	405	206
70歳	5,878	-	722	1,208	1,280	872	165	673	334	140	484
男	2,603	-	289	510	558	400	61	313	168	46	258
女	3,275	-	433	698	722	472	104	360	166	94	226



※対象者数未記入の西宮市、市川町、神河町、宍粟市、豊岡市、養父市、朝来市は計上なし

2(2) 対象者数

単位(人)

年齢・性別	全県	地域別									
		神戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但馬	丹波	淡路
全体	978,661	42,232	301,847	206,731	40,885	132,834	40,453	101,502	16,103	23,956	72,118
男	478,899	20,437	147,734	98,870	19,887	66,402	19,568	50,047	8,370	11,871	35,713
女	500,998	21,795	154,113	107,861	20,998	67,668	20,885	51,455	7,733	12,085	36,405
40歳	232,710	20,300	76,784	41,537	9,460	28,922	9,432	22,601	3,133	5,276	15,265
男	116,728	9,788	38,285	20,116	4,732	15,465	4,661	11,623	1,636	2,669	7,753
女	117,218	10,512	38,499	21,421	4,728	14,693	4,771	10,978	1,497	2,607	7,512
50歳	275,567	21,932	85,212	62,896	10,588	34,092	10,326	24,601	3,575	5,656	16,889
男	136,485	10,649	42,454	30,929	5,237	17,029	5,122	12,199	1,797	2,788	8,281
女	139,082	11,283	42,758	31,967	5,351	17,063	5,204	12,402	1,778	2,868	8,408
60歳	208,403	-	63,082	45,382	8,021	31,197	8,558	23,489	4,199	6,653	17,822
男	102,080	-	31,009	21,769	3,864	15,364	4,157	11,471	2,406	3,270	8,770
女	106,323	-	32,073	23,613	4,157	15,833	4,401	12,018	1,793	3,383	9,052
70歳	261,981	-	76,769	56,916	12,816	38,623	12,137	30,811	5,196	6,371	22,342
男	123,606	-	35,986	26,056	6,054	18,544	5,628	14,754	2,531	3,144	10,909
女	138,375	-	40,783	30,860	6,762	20,079	6,509	16,057	2,665	3,227	11,433

※西宮市、市川町、神河町、宍粟市、豊岡市、養父市、朝来市は除く





3 要精検者

単位(%)

単位(人)

	要精検者	(要精検者の内訳)				要精検者	(要精検者の内)			
		受療者	受療予定者	未受療者	未把握		受療者	受療予定者	未受療者	未把握
全体	57.8	19.3	20.7	4.6	55.4	15,622	3,012	3,238	723	8,649
男	62.0	20.4	21.6	6.7	51.3	5,890	1,200	1,274	395	3,021
女	55.6	18.6	20.2	3.4	57.8	9,732	1,812	1,964	328	5,628
20歳	56.6	28.3	15.7	6.1	50.0	198	56	31	12	99
男	53.1	33.8	13.2	7.4	45.6	68	23	9	5	31
女	58.6	25.4	16.9	5.4	52.3	130	33	22	7	68
25歳	54.6	15.6	12.2	7.6	64.6	525	82	64	40	339
男	53.6	25.4	16.7	14.3	43.7	126	32	21	18	55
女	55.0	12.5	10.8	5.5	71.2	399	50	43	22	284
30歳	47.9	11.1	9.5	9.9	69.6	1,022	113	97	101	711
男	51.9	17.4	15.9	20.9	45.8	201	35	32	42	92
女	47.0	9.5	7.9	7.2	75.4	821	78	65	59	619
35歳	45.8	13.1	9.1	9.5	68.3	1,378	180	126	131	941
男	53.3	21.0	13.9	19.7	45.5	310	65	43	61	141
女	44.0	10.8	7.8	6.6	74.9	1,068	115	83	70	800
40歳	56.0	12.9	15.4	3.9	67.8	3,656	473	563	142	2,478
男	62.7	15.0	18.6	6.4	59.9	1,106	166	206	71	663
女	53.6	12.0	14.0	2.8	71.2	2,550	307	357	71	1,815
45歳	57.3	13.7	17.1	3.6	65.6	3,406	465	582	124	2,235
男	62.0	13.5	20.0	5.4	61.1	1,121	151	224	61	685
女	55.2	13.7	15.7	2.8	67.8	2,285	314	358	63	1,550
50歳	60.4	15.7	17.2	2.8	64.3	3,295	516	567	92	2,120
男	63.5	14.3	17.8	4.3	63.7	1,183	169	210	51	753
女	58.8	16.4	16.9	1.9	64.7	2,112	347	357	41	1,367
55歳	61.0	15.9	18.1	2.8	63.2	3,341	530	605	94	2,112
男	64.4	15.0	17.9	4.3	62.8	1,194	179	214	51	750
女	59.3	16.3	18.2	2.0	63.4	2,147	351	391	43	1,362
60歳	55.4	24.9	29.2	5.7	40.2	2,349	585	686	133	945
男	59.9	22.8	28.3	7.5	41.4	937	214	265	70	388
女	52.7	26.3	29.8	4.5	39.4	1,412	371	421	63	557
65歳	56.5	26.3	24.6	6.0	43.1	2,793	735	688	167	1,203
男	60.5	25.6	23.1	7.8	43.5	1,200	307	277	94	522
女	53.8	26.9	25.8	4.6	42.7	1,593	428	411	73	681
70歳	61.4	24.2	26.8	4.5	44.5	4,283	1,036	1,149	191	1,907
男	63.5	24.0	25.0	6.2	44.8	1,965	472	491	121	881
女	59.7	24.3	28.4	3.0	44.3	2,318	564	658	70	1,026
75歳	62.7	23.8	29.1	3.8	43.2	3,880	924	1,129	149	1,678
男	64.3	23.1	26.9	5.4	44.6	1,780	412	479	96	793
女	61.3	24.4	31.0	2.5	42.1	2,100	512	650	53	885
80歳	62.9	29.3	18.8	6.4	45.4	764	224	144	49	347
男	63.5	28.5	15.4	8.1	48.1	397	113	61	32	191
女	62.2	30.2	22.6	4.6	42.5	367	111	83	17	156
85歳~	62.3	31.8	14.9	6.1	47.3	296	94	44	18	140
男	60.5	33.5	10.1	8.9	47.5	158	53	16	14	75
女	64.5	29.7	20.3	2.9	47.1	138	41	28	4	65



【40歳】

単位(%)

単位(人)

	要精検者	(要精検者の内) 医療機関受療者数				要精検者	(要精検者の内) 医療機関受療者数			
		受療者	受療予定者	未受療者	未把握		受療者	受療予定者	未受療者	未把握
全 県	56.0	12.9	15.4	3.9	67.8	3,656	473	563	142	2,478
男	62.7	15.0	18.6	6.4	59.9	1,106	166	206	71	663
女	53.6	12.0	14.0	2.8	71.2	2,550	307	357	71	1,815
神 戸	66.9	0.0	0.0	0.0	100.0	1,018	0	0	0	1,018
男	77.7	0.0	0.0	0.0	100.0	275	0	0	0	275
女	63.7	0.0	0.0	0.0	100.0	743	0	0	0	743
阪神南	61.9	1.5	25.5	0.1	72.9	1,123	17	286	1	819
男	78.8	2.9	39.3	0.4	57.5	275	8	108	1	158
女	57.9	1.1	21.0	0.0	77.9	848	9	178	0	661
阪神北	59.8	40.4	15.2	0.4	44.0	505	204	77	2	222
男	67.5	43.9	17.7	0.6	37.8	164	72	29	1	62
女	56.7	38.7	14.1	0.3	46.9	341	132	48	1	160
東播磨	43.6	32.5	25.3	2.2	40.1	277	90	70	6	111
男	45.1	30.9	28.9	4.1	36.1	97	30	28	4	35
女	42.9	33.3	23.3	1.1	42.2	180	60	42	2	76
北播磨	40.5	35.7	0.0	12.3	51.9	154	55	0	19	80
男	49.2	32.8	0.0	10.9	56.3	64	21	0	7	36
女	36.0	37.8	0.0	13.3	48.9	90	34	0	12	44
中播磨	51.9	31.3	34.3	14.9	19.4	67	21	23	10	13
男	51.6	18.8	37.5	12.5	31.3	16	3	6	2	5
女	52.0	35.3	33.3	15.7	15.7	51	18	17	8	8
西播磨	39.9	9.8	8.0	0.0	82.1	112	11	9	0	92
男	56.8	10.0	10.0	0.0	80.0	50	5	5	0	40
女	32.1	9.7	6.5	0.0	83.9	62	6	4	0	52
但 馬	42.0	10.9	27.9	2.3	58.9	129	14	36	3	76
男	39.1	6.7	22.2	4.4	66.7	45	3	10	2	30
女	43.8	13.1	31.0	1.2	54.8	84	11	26	1	46
丹 波	41.1	24.4	68.9	5.6	1.1	90	22	62	5	1
男	43.3	24.1	69.0	6.9	0.0	29	7	20	2	0
女	40.1	24.6	68.9	4.9	1.6	61	15	42	3	1
淡 路	45.9	21.5	0.0	53.0	25.4	181	39	0	96	46
男	53.2	18.7	0.0	57.1	24.2	91	17	0	52	22
女	40.4	24.4	0.0	48.9	26.7	90	22	0	44	24

【50歳】

単位(%)

単位(人)


	要精検者	(要精検者の内) 医療機関受療者数				要精検者	(要精検者の内) 医療機関受療者数			
		受療者	受療予定者	未受療者	未把握		受療者	受療予定者	未受療者	未把握
全 県	60.4	15.7	17.2	2.8	64.3	3,295	516	567	92	2,120
男	63.5	14.3	17.8	4.3	63.7	1,183	169	210	51	753
女	58.8	16.4	16.9	1.9	64.7	2,112	347	357	41	1,367
神 戸	69.7	0.0	0.0	0.0	100.0	1,143	0	0	0	1,143
男	71.9	0.0	0.0	0.0	100.0	387	0	0	0	387
女	68.7	0.0	0.0	0.0	100.0	756	0	0	0	756
阪神南	78.6	0.0	38.1	0.0	61.9	612	0	233	0	379
男	81.3	0.0	37.7	0.0	62.3	204	0	77	0	127
女	77.3	0.0	38.2	0.0	61.8	408	0	156	0	252
阪神北	62.7	41.3	21.3	1.1	36.2	436	180	93	5	158
男	64.4	33.8	26.9	1.4	37.9	145	49	39	2	55
女	61.9	45.0	18.6	1.0	35.4	291	131	54	3	103
東播磨	47.8	36.3	20.6	1.1	42.0	281	102	58	3	118
男	50.2	33.0	24.3	2.9	39.8	103	34	25	3	41
女	46.5	38.2	18.5	0.0	43.3	178	68	33	0	77
北播磨	48.0	43.4	1.0	10.7	44.9	196	85	2	21	88
男	53.2	40.2	1.2	11.0	47.6	82	33	1	9	39
女	44.9	45.6	0.9	10.5	43.0	114	52	1	12	49
中播磨	53.6	33.3	44.0	5.3	17.3	75	25	33	4	13
男	50.0	30.0	40.0	15.0	15.0	20	6	8	3	3
女	55.0	34.5	45.5	1.8	18.2	55	19	25	1	10
西播磨	41.6	19.7	16.7	0.0	63.6	132	26	22	0	84
男	52.9	18.5	16.7	0.0	64.8	54	10	9	0	35
女	36.3	20.5	16.7	0.0	62.8	78	16	13	0	49
但 馬	53.4	4.7	34.7	0.7	60.0	150	7	52	1	90
男	56.8	4.8	25.4	1.6	68.3	63	3	16	1	43
女	51.2	4.6	41.4	0.0	54.0	87	4	36	0	47
丹 波	36.5	28.1	64.9	5.3	1.8	114	32	74	6	2
男	45.6	21.2	67.3	9.6	1.9	52	11	35	5	1
女	31.3	33.9	62.9	1.6	1.6	62	21	39	1	1
淡 路	52.5	37.8	0.0	33.3	28.8	156	59	0	52	45
男	58.9	31.5	0.0	38.4	30.1	73	23	0	28	22
女	48.0	43.4	0.0	28.9	27.7	83	36	0	24	23

【60歳】

単位(%)

単位(人)



	要精検者	(要精検者の内) 医療機関受療者数				要精検者	(要精検者の内) 医療機関受療者数			
		受療者	受療予定者	未受療者	未把握		受療者	受療予定者	未受療者	未把握
全 県	55.4	24.9	29.2	5.7	40.2	2,349	585	686	133	945
男	59.9	22.8	28.3	7.5	41.4	937	214	265	70	388
女	52.7	26.3	29.8	4.5	39.4	1,412	371	421	63	557
神 戸	69.2	0.0	0.0	0.0	100.0	36	0	0	0	36
男	68.8	0.0	0.0	0.0	100.0	11	0	0	0	11
女	69.4	0.0	0.0	0.0	100.0	25	0	0	0	25
阪神南	82.6	0.0	49.4	0.0	50.6	480	0	237	0	243
男	88.8	0.0	48.9	0.0	51.1	190	0	93	0	97
女	79.0	0.0	49.7	0.0	50.3	290	0	144	0	146
阪神北	63.9	33.6	30.5	0.6	35.3	476	160	145	3	168
男	73.6	32.6	29.8	0.6	37.1	178	58	53	1	66
女	59.2	34.2	30.9	0.7	34.2	298	102	92	2	102
東播磨	45.6	39.5	18.0	2.7	39.8	256	101	46	7	102
男	47.6	36.0	21.0	2.0	41.0	100	36	21	2	41
女	44.3	41.7	16.0	3.2	39.1	156	65	25	5	61
北播磨	53.8	43.0	0.0	11.4	45.6	228	98	0	26	104
男	54.2	37.7	0.0	14.3	48.1	77	29	0	11	37
女	53.5	45.7	0.0	9.9	44.4	151	69	0	15	67
中播磨	65.2	41.3	26.7	6.7	25.3	75	31	20	5	19
男	71.4	36.0	24.0	4.0	36.0	25	9	6	1	9
女	62.5	44.0	28.0	8.0	20.0	50	22	14	4	10
西播磨	48.5	13.2	13.8	0.0	73.0	174	23	24	0	127
男	50.0	13.9	12.5	0.0	73.6	72	10	9	0	53
女	47.4	12.7	14.7	0.0	72.5	102	13	15	0	74
但 馬	46.2	11.0	39.6	0.5	48.9	182	20	72	1	89
男	48.5	13.9	30.4	0.0	55.7	79	11	24	0	44
女	44.6	8.7	46.6	1.0	43.7	103	9	48	1	45
丹 波	32.7	25.6	70.0	3.4	1.0	203	52	142	7	2
男	36.6	21.5	74.7	2.5	1.3	79	17	59	2	1
女	30.6	28.2	66.9	4.0	0.8	124	35	83	5	1
淡 路	61.4	41.8	0.0	35.1	23.0	239	100	0	84	55
男	68.9	34.9	0.0	42.1	23.0	126	44	0	53	29
女	54.9	49.6	0.0	27.4	23.0	113	56	0	31	26



4 一人あたり現在歯数


単位(本)

		地 域 別										
		全 県	神 戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但 馬	丹 波	淡 路
全 体		<b>26.5</b>	<b>27.9</b>	<b>27.1</b>	<b>26.6</b>	<b>25.8</b>	<b>26.2</b>	<b>26.1</b>	<b>25.7</b>	<b>25.1</b>	<b>26.3</b>	<b>26.3</b>
	男	26.0	27.9	26.4	26.4	25.5	25.9	26.3	25.2	24.5	26.3	25.6
	女	26.8	27.8	27.4	26.7	26.0	26.4	25.9	26.1	25.6	26.3	26.8
20歳		<b>28.5</b>	-	<b>28.4</b>	<b>28.5</b>	-	<b>27.6</b>	<b>28.4</b>	<b>29.1</b>	<b>28.3</b>	<b>29.0</b>	<b>29.3</b>
	男	28.8	-	30.0	28.6	-	28.0	28.3	29.6	29.0	30.3	29.6
	女	28.3	-	28.4	28.3	-	27.5	28.5	28.5	27.7	28.2	29.1
25歳		<b>28.6</b>	-	<b>28.6</b>	<b>28.5</b>	-	<b>28.8</b>	<b>28.5</b>	<b>29.0</b>	<b>28.6</b>	<b>29.2</b>	<b>29.0</b>
	男	28.8	-	28.8	28.6	-	29.0	29.0	29.5	28.4	30.0	29.5
	女	28.6	-	28.6	28.4	-	28.8	27.5	28.6	28.7	28.7	28.7
30歳		<b>28.6</b>	<b>30.0</b>	<b>28.5</b>	<b>28.5</b>	-	<b>28.6</b>	<b>26.7</b>	<b>28.8</b>	<b>28.8</b>	<b>28.8</b>	<b>28.7</b>
	男	28.9	-	28.7	28.9	-	28.8	29.4	29.4	28.5	28.7	29.1
	女	28.5	30.0	28.5	28.4	-	28.5	25.5	28.6	28.9	29.2	28.5
35歳		<b>28.4</b>	<b>30.0</b>	<b>28.4</b>	<b>28.4</b>	-	<b>28.4</b>	<b>26.9</b>	<b>28.4</b>	<b>28.7</b>	<b>28.5</b>	<b>28.7</b>
	男	28.8	30.0	28.6	28.9	-	28.6	28.9	28.8	28.6	28.4	28.9
	女	28.4	30.0	28.4	28.2	-	28.3	26.3	28.2	28.8	28.6	28.5
40歳		<b>28.3</b>	<b>28.3</b>	<b>28.2</b>	<b>28.2</b>	<b>28.4</b>	<b>28.4</b>	<b>28.5</b>	<b>28.4</b>	<b>28.2</b>	<b>28.3</b>	<b>28.5</b>
	男	28.5	28.5	28.4	28.6	28.7	28.4	29.0	28.5	28.1	28.2	28.6
	女	28.2	28.2	28.2	28.0	28.2	28.4	28.3	28.3	28.3	28.3	28.3
45歳		<b>28.2</b>	<b>28.3</b>	<b>28.1</b>	<b>28.1</b>	<b>28.4</b>	<b>28.2</b>	<b>28.0</b>	<b>28.4</b>	<b>28.0</b>	<b>28.1</b>	<b>28.2</b>
	男	28.3	28.5	28.4	28.5	28.7	28.3	27.5	28.2	27.9	28.2	28.1
	女	28.1	28.2	28.0	27.9	28.2	28.1	28.2	28.4	28.1	28.1	28.3
50歳		<b>27.6</b>	<b>27.6</b>	<b>27.9</b>	<b>27.6</b>	<b>26.9</b>	<b>27.8</b>	<b>26.0</b>	<b>27.9</b>	<b>27.7</b>	<b>27.3</b>	<b>27.6</b>
	男	27.7	27.6	28.1	27.7	28.1	28.0	26.4	27.7	27.5	27.3	27.1
	女	27.5	27.7	27.9	27.5	26.3	27.7	25.9	28.0	27.8	27.3	28.0
55歳		<b>27.4</b>	<b>27.6</b>	<b>27.9</b>	<b>27.3</b>	<b>26.9</b>	<b>27.3</b>	<b>26.2</b>	<b>27.5</b>	<b>27.0</b>	<b>26.5</b>	<b>27.1</b>
	男	27.4	27.6	28.1	27.2	28.1	27.2	27.8	27.3	26.4	26.3	26.9
	女	27.3	27.7	27.9	27.4	26.3	27.3	25.7	27.6	27.4	26.6	27.2
60歳		<b>26.4</b>	<b>27.3</b>	<b>26.6</b>	<b>26.5</b>	<b>26.6</b>	<b>26.6</b>	<b>27.1</b>	<b>26.4</b>	<b>25.7</b>	<b>25.7</b>	<b>26.6</b>
	男	26.2	27.3	26.4	26.5	26.3	26.5	28.5	26.3	25.1	25.5	26.3
	女	26.5	27.3	26.7	26.5	26.8	26.7	26.4	26.5	26.2	25.8	26.9
65歳		<b>25.8</b>	<b>27.1</b>	<b>26.6</b>	<b>26.3</b>	<b>26.6</b>	<b>25.4</b>	<b>26.2</b>	<b>25.6</b>	<b>24.4</b>	<b>25.6</b>	<b>25.5</b>
	男	25.6	27.1	26.4	26.4	26.3	25.4	26.5	25.6	23.9	25.3	24.8
	女	26.0	27.1	26.7	26.2	26.8	25.4	26.0	25.7	24.9	25.7	26.1
70歳		<b>24.3</b>	<b>26.4</b>	<b>24.4</b>	<b>24.7</b>	<b>23.6</b>	<b>24.8</b>	<b>24.6</b>	<b>24.7</b>	<b>23.2</b>	<b>22.6</b>	<b>24.2</b>
	男	24.0	26.4	24.2	24.6	23.0	25.0	24.7	24.3	22.8	23.0	23.4
	女	24.5	26.3	24.5	24.7	24.1	24.6	24.6	25.0	23.5	22.5	25.0
75歳		<b>23.9</b>	<b>25.6</b>	<b>24.4</b>	<b>24.4</b>	<b>23.6</b>	<b>24.7</b>	<b>24.6</b>	<b>23.8</b>	<b>21.9</b>	<b>22.6</b>	<b>22.4</b>
	男	23.6	25.8	24.2	24.3	23.0	24.7	24.7	23.5	21.7	23.2	21.8
	女	24.1	25.5	24.5	24.4	24.1	24.7	24.5	24.1	22.1	22.2	23.1
80歳		<b>22.1</b>	<b>26.0</b>	<b>23.7</b>	<b>23.2</b>	-	<b>23.5</b>	<b>22.7</b>	<b>22.3</b>	<b>20.1</b>	-	<b>20.0</b>
	男	22.2	27.4	25.3	23.1	-	23.2	23.3	22.8	20.2	-	19.3
	女	22.0	24.8	21.7	23.3	-	23.8	22.2	21.8	20.0	-	20.6
85歳~		<b>20.3</b>	<b>25.6</b>	<b>24.5</b>	<b>21.4</b>	-	<b>21.3</b>	<b>16.8</b>	<b>20.3</b>	<b>18.8</b>	-	<b>16.6</b>
	男	20.6	26.7	25.5	20.8	-	21.6	18.5	21.2	19.9	-	15.2
	女	20.0	24.0	22.9	22.0	-	20.7	15.7	19.2	17.8	-	18.5



5 歯肉出血BOP		単位(%)					単位(人)					
全体	性別	BOP					BOP					
		0	1	9	不明	X	受診者数	0	1	9	不明	X
全体		44.1	50.6	0.1	4.8	0.4	27,009	11,912	13,666	22	1,300	109
男		40.2	53.2	0.1	5.8	0.7	9,496	3,814	5,049	9	554	70
女		46.2	49.2	0.1	4.3	0.2	17,513	8,098	8,617	13	746	39
年齢別	20歳	55.4	42.3	0.0	2.3	0.0	350	194	148	0	8	0
	男	46.1	50.0	0.0	3.9	0.0	128	59	64	0	5	0
	女	60.8	37.8	0.0	1.4	0.0	222	135	84	0	3	0
	25歳	57.8	39.6	0.0	2.6	0.0	961	555	381	0	25	0
	男	47.7	46.8	0.0	5.5	0.0	235	112	110	0	13	0
	女	61.0	37.3	0.0	1.7	0.0	726	443	271	0	12	0
	30歳	61.7	35.0	0.0	3.4	0.0	2,133	1,315	746	0	72	0
	男	51.7	40.8	0.0	7.5	0.0	387	200	158	0	29	0
	女	63.9	33.7	0.0	2.5	0.0	1,746	1,115	588	0	43	0
	35歳	63.5	32.1	0.0	4.4	0.0	3,010	1,911	967	1	131	0
	男	52.6	39.0	0.0	8.4	0.0	582	306	227	0	49	0
	女	66.1	30.5	0.0	3.4	0.0	2,428	1,605	740	1	82	0
	40歳	45.9	50.4	0.0	3.6	0.0	6,523	2,996	3,288	1	238	0
	男	39.3	56.7	0.0	4.0	0.0	1,763	692	1,000	0	71	0
	女	48.4	48.1	0.0	3.5	0.0	4,760	2,304	2,288	1	167	0
	45歳	42.6	52.9	0.0	4.5	0.0	5,945	2,533	3,145	0	267	0
	男	39.9	55.9	0.0	4.1	0.0	1,809	722	1,012	0	75	0
	女	43.8	51.6	0.0	4.6	0.0	4,136	1,811	2,133	0	192	0
	50歳	40.0	56.5	0.1	3.4	0.0	5,456	2,180	3,085	4	185	2
	男	38.7	57.9	0.1	3.2	0.1	1,864	721	1,080	2	60	1
	女	40.6	55.8	0.1	3.5	0.0	3,592	1,459	2,005	2	125	1
	55歳	39.9	57.1	0.1	2.8	0.1	5,477	2,187	3,125	5	156	4
	男	37.4	59.3	0.1	3.1	0.2	1,854	693	1,099	2	57	3
	女	41.2	55.9	0.1	2.7	0.0	3,623	1,494	2,026	3	99	1
	60歳	44.3	50.4	0.1	5.0	0.2	4,242	1,880	2,139	4	211	8
	男	41.1	52.9	0.0	5.6	0.4	1,565	643	828	0	88	6
	女	46.2	49.0	0.1	4.6	0.1	2,677	1,237	1,311	4	123	2
	65歳	43.4	49.1	0.1	7.1	0.3	4,943	2,144	2,427	4	351	17
男	41.8	49.0	0.1	8.5	0.6	1,984	830	973	1	168	12	
女	44.4	49.1	0.1	6.2	0.2	2,959	1,314	1,454	3	183	5	
70歳	40.2	53.4	0.2	5.6	0.7	6,980	2,804	3,728	11	389	48	
男	39.4	53.2	0.2	6.1	1.0	3,095	1,219	1,647	7	190	32	
女	40.8	53.6	0.1	5.1	0.4	3,885	1,585	2,081	4	199	16	
75歳	38.8	55.4	0.2	4.7	0.9	6,192	2,400	3,431	10	294	57	
男	38.1	54.9	0.2	5.6	1.2	2,767	1,055	1,519	6	154	33	
女	39.3	55.8	0.1	4.1	0.7	3,425	1,345	1,912	4	140	24	
80歳	41.5	41.3	0.2	13.7	3.3	1,215	504	502	2	167	40	
男	41.3	40.0	0.0	15.0	3.7	625	258	250	0	94	23	
女	41.7	42.7	0.3	12.4	2.9	590	246	252	2	73	17	
85歳～	37.7	39.6	0.4	15.8	6.5	475	179	188	2	75	31	
男	36.0	41.4	0.0	14.2	8.4	261	94	108	0	37	22	
女	39.7	37.4	0.9	17.8	4.2	214	85	80	2	38	9	

(参考)BOP  
 0:健全な状態  
 1:プローピング後の出血  
 9:除外歯  
 不明  
 X:該当する歯なし




【40歳】		単位(%)					単位(人)					
		BOP					BOP					
		0	1	9	不明	X	受診者数	0	1	9	不明	X
全 県		45.9	50.4	0.0	3.6	0.0	6,523	2,996	3,288	1	238	0
	男女	39.3	56.7	0.0	4.0	0.0	1,763	692	1,000	0	71	0
神 戸		31.4	68.6	0.0	0.1	0.0	1,521	477	1,043	0	1	0
	男女	24.3	75.7	0.0	0.0	0.0	354	86	268	0	0	0
阪神南		53.3	43.1	0.0	3.6	0.0	1,813	967	781	0	65	0
	男女	33.5	66.4	0.0	0.1	0.0	1,167	391	775	0	1	0
阪神北		41.7	58.1	0.0	0.2	0.0	844	352	490	0	2	0
	男女	32.5	67.5	0.0	0.0	0.0	243	79	164	0	0	0
東播磨		39.7	60.2	0.0	0.2	0.0	635	252	382	0	1	0
	男女	36.7	62.8	0.0	0.5	0.0	215	79	135	0	1	0
北播磨		57.9	38.2	0.0	3.9	0.0	380	220	145	0	15	0
	男女	59.2	40.8	0.0	0.0	0.0	130	77	53	0	0	0
中播磨		52.7	47.3	0.0	0.0	0.0	129	68	61	0	0	0
	男女	55.1	44.9	0.0	0.0	0.0	98	54	44	0	0	0
西播磨		52.3	28.8	0.0	18.9	0.0	281	147	81	0	53	0
	男女	47.7	37.5	0.0	14.8	0.0	88	42	33	0	13	0
但 馬		37.5	29.3	0.3	32.9	0.0	307	115	90	1	101	0
	男女	37.4	23.5	0.0	39.1	0.0	115	43	27	0	45	0
丹 波		60.3	39.7	0.0	0.0	0.0	219	132	87	0	0	0
	男女	52.2	47.8	0.0	0.0	0.0	67	35	32	0	0	0
淡 路		67.5	32.5	0.0	0.0	0.0	394	266	128	0	0	0
	男女	63.2	36.8	0.0	0.0	0.0	171	108	63	0	0	0
		70.9	29.1	0.0	0.0	0.0	223	158	65	0	0	0

【50歳】		単位(%)					単位(人)					
		BOP					BOP					
		0	1	9	不明	X	受診者数	0	1	9	不明	X
全 県		40.0	56.5	0.1	3.4	0.0	5,456	2,180	3,085	4	185	2
	男女	38.7	57.9	0.1	3.2	0.1	1,864	721	1,080	2	60	1
神 戸		32.0	68.0	0.0	0.0	0.0	1,639	525	1,114	0	0	0
	男女	29.4	70.6	0.0	0.0	0.0	538	158	380	0	0	0
阪神南		35.4	63.9	0.0	0.6	0.0	779	276	498	0	5	0
	男女	35.1	64.5	0.0	0.4	0.0	251	88	162	0	1	0
阪神北		37.1	62.4	0.1	0.3	0.0	695	258	434	1	2	0
	男女	41.8	57.3	0.4	0.4	0.0	225	94	129	1	1	0
東播磨		36.7	63.3	0.0	0.0	0.0	588	216	372	0	0	0
	男女	37.1	62.9	0.0	0.0	0.0	205	76	129	0	0	0
北播磨		60.3	39.0	0.0	0.7	0.0	408	246	159	0	3	0
	男女	55.2	42.9	0.0	1.9	0.0	154	85	66	0	3	0
中播磨		33.6	65.0	0.7	0.0	0.7	140	47	91	1	0	1
	男女	25.0	72.5	2.5	0.0	0.0	40	10	29	1	0	0
西播磨		47.9	25.9	0.0	26.2	0.0	317	152	82	0	83	0
	男女	46.1	33.3	0.0	20.6	0.0	102	47	34	0	21	0
但 馬		31.0	35.9	0.7	32.4	0.0	281	87	101	2	91	0
	男女	32.4	36.9	0.0	30.6	0.0	111	36	41	0	34	0
丹 波		62.2	37.5	0.0	0.3	0.0	312	194	117	0	1	0
	男女	55.3	44.7	0.0	0.0	0.0	114	63	51	0	0	0
淡 路		60.3	39.4	0.0	0.0	0.3	297	179	117	0	0	1
	男女	51.6	47.6	0.0	0.0	0.8	124	64	59	0	0	1
		66.5	33.5	0.0	0.0	0.0	173	115	58	0	0	0



【60歳】		単位(%)					単位(人)					
		BOP					BOP					
		0	1	9	不明	X	受診者数	0	1	9	不明	X
全 県		44.3	50.4	0.1	5.0	0.2	4,242	1,880	2,139	4	211	8
	男	41.1	52.9	0.0	5.6	0.4	1,565	643	828	0	88	6
	女	46.2	49.0	0.1	4.6	0.1	2,677	1,237	1,311	4	123	2
神 戸		46.2	53.8	0.0	0.0	0.0	52	24	28	0	0	0
	男	50.0	50.0	0.0	0.0	0.0	16	8	8	0	0	0
	女	44.4	55.6	0.0	0.0	0.0	36	16	20	0	0	0
阪神南		31.8	68.0	0.0	0.2	0.0	581	185	395	0	1	0
	男	29.0	71.0	0.0	0.0	0.0	214	62	152	0	0	0
	女	33.5	66.2	0.0	0.3	0.0	367	123	243	0	1	0
阪神北		38.8	60.5	0.1	0.4	0.1	745	289	451	1	3	1
	男	33.5	65.7	0.0	0.4	0.4	242	81	159	0	1	1
	女	41.4	58.1	0.2	0.4	0.0	503	208	292	1	2	0
東播磨		35.4	64.4	0.0	0.0	0.2	562	199	362	0	0	1
	男	35.7	64.3	0.0	0.0	0.0	210	75	135	0	0	0
	女	35.2	64.5	0.0	0.0	0.3	352	124	227	0	0	1
北播磨		55.2	43.2	0.0	1.2	0.5	424	234	183	0	5	2
	男	52.1	46.5	0.0	0.7	0.7	142	74	66	0	1	1
	女	56.7	41.5	0.0	1.4	0.4	282	160	117	0	4	1
中播磨		39.1	60.9	0.0	0.0	0.0	115	45	70	0	0	0
	男	28.6	71.4	0.0	0.0	0.0	35	10	25	0	0	0
	女	43.8	56.3	0.0	0.0	0.0	80	35	45	0	0	0
西播磨		47.6	32.9	0.3	19.2	0.0	359	171	118	1	69	0
	男	41.7	37.5	0.0	20.8	0.0	144	60	54	0	30	0
	女	51.6	29.8	0.5	18.1	0.0	215	111	64	1	39	0
但 馬		35.0	31.5	0.0	33.5	0.0	394	138	124	0	132	0
	男	35.0	31.3	0.0	33.7	0.0	163	57	51	0	55	0
	女	35.1	31.6	0.0	33.3	0.0	231	81	73	0	77	0
丹 波		61.8	37.5	0.3	0.2	0.2	621	384	233	2	1	1
	男	60.2	38.9	0.0	0.5	0.5	216	130	84	0	1	1
	女	62.7	36.8	0.5	0.0	0.0	405	254	149	2	0	0
淡 路		54.2	45.0	0.0	0.0	0.8	389	211	175	0	0	3
	男	47.0	51.4	0.0	0.0	1.6	183	86	94	0	0	3
	女	60.7	39.3	0.0	0.0	0.0	206	125	81	0	0	0




6 歯周疾患を有する者の割合

単位(%)

単位(人)

	PD							PD						
	0	1	2	9	不明	X	受診者数	0	1	2	9	不明	X	
<b>全 体</b>	<b>44.9</b>	<b>37.4</b>	<b>12.7</b>	<b>0.0</b>	<b>4.6</b>	<b>0.4</b>	<b>27,009</b>	<b>12,124</b>	<b>10,095</b>	<b>3,436</b>	<b>11</b>	<b>1,231</b>	<b>112</b>	
男	36.3	39.8	17.5	0.0	5.6	0.8	9,496	3,448	3,778	1,665	3	529	73	
女	49.5	36.1	10.1	0.0	4.0	0.2	17,513	8,676	6,317	1,771	8	702	39	
<b>20歳</b>	<b>74.9</b>	<b>21.4</b>	<b>1.4</b>	<b>0.0</b>	<b>2.3</b>	<b>0.0</b>	<b>350</b>	<b>262</b>	<b>75</b>	<b>5</b>	<b>0</b>	<b>8</b>	<b>0</b>	
男	69.5	26.6	0.0	0.0	3.9	0.0	128	89	34	0	0	5	0	
女	77.9	18.5	2.3	0.0	1.4	0.0	222	173	41	5	0	3	0	
<b>25歳</b>	<b>73.4</b>	<b>21.7</b>	<b>2.3</b>	<b>0.0</b>	<b>2.6</b>	<b>0.0</b>	<b>961</b>	<b>705</b>	<b>209</b>	<b>22</b>	<b>0</b>	<b>25</b>	<b>0</b>	
男	66.8	24.3	3.0	0.0	5.5	0.0	235	157	57	7	0	13	0	
女	75.5	20.9	2.1	0.0	1.7	0.0	726	548	152	15	0	12	0	
<b>30歳</b>	<b>72.5</b>	<b>21.8</b>	<b>2.4</b>	<b>0.0</b>	<b>3.4</b>	<b>0.0</b>	<b>2,133</b>	<b>1,546</b>	<b>464</b>	<b>51</b>	<b>0</b>	<b>72</b>	<b>0</b>	
男	59.9	27.4	4.9	0.0	7.5	0.0	387	232	106	19	0	29	0	
女	75.3	20.5	1.8	0.0	2.5	0.0	1,746	1,314	358	32	0	43	0	
<b>35歳</b>	<b>70.2</b>	<b>22.2</b>	<b>3.3</b>	<b>0.0</b>	<b>4.4</b>	<b>0.0</b>	<b>3,010</b>	<b>2,113</b>	<b>668</b>	<b>98</b>	<b>0</b>	<b>131</b>	<b>0</b>	
男	53.3	30.9	7.4	0.0	8.4	0.0	582	310	180	43	0	49	0	
女	74.3	20.1	2.3	0.0	3.4	0.0	2,428	1,803	488	55	0	82	0	
<b>40歳</b>	<b>55.1</b>	<b>35.0</b>	<b>7.1</b>	<b>0.0</b>	<b>2.8</b>	<b>0.0</b>	<b>6,523</b>	<b>3,594</b>	<b>2,281</b>	<b>464</b>	<b>0</b>	<b>184</b>	<b>0</b>	
男	44.4	40.7	11.3	0.0	3.6	0.0	1,763	782	718	200	0	63	0	
女	59.1	32.8	5.5	0.0	2.5	0.0	4,760	2,812	1,563	264	0	121	0	
<b>45歳</b>	<b>51.3</b>	<b>37.2</b>	<b>8.0</b>	<b>0.0</b>	<b>3.5</b>	<b>0.0</b>	<b>5,945</b>	<b>3,048</b>	<b>2,211</b>	<b>475</b>	<b>0</b>	<b>211</b>	<b>0</b>	
男	44.3	40.8	11.2	0.0	3.7	0.0	1,809	802	738	202	0	67	0	
女	54.3	35.6	6.6	0.0	3.5	0.0	4,136	2,246	1,473	273	0	144	0	
<b>50歳</b>	<b>43.3</b>	<b>41.1</b>	<b>12.0</b>	<b>0.0</b>	<b>3.5</b>	<b>0.0</b>	<b>5,456</b>	<b>2,365</b>	<b>2,244</b>	<b>653</b>	<b>2</b>	<b>190</b>	<b>2</b>	
男	38.9	42.1	15.6	0.1	3.2	0.1	1,864	725	785	291	1	60	2	
女	45.7	40.6	10.1	0.0	3.6	0.0	3,592	1,640	1,459	362	1	130	0	
<b>55歳</b>	<b>42.0</b>	<b>42.4</b>	<b>12.5</b>	<b>0.0</b>	<b>3.0</b>	<b>0.1</b>	<b>5,477</b>	<b>2,301</b>	<b>2,321</b>	<b>687</b>	<b>2</b>	<b>163</b>	<b>3</b>	
男	36.9	43.1	16.7	0.1	3.1	0.2	1,854	685	799	309	1	57	3	
女	44.6	42.0	10.4	0.0	2.9	0.0	3,623	1,616	1,522	378	1	106	0	
<b>60歳</b>	<b>39.4</b>	<b>40.1</b>	<b>15.4</b>	<b>0.0</b>	<b>5.0</b>	<b>0.2</b>	<b>4,242</b>	<b>1,672</b>	<b>1,699</b>	<b>652</b>	<b>2</b>	<b>210</b>	<b>7</b>	
男	33.2	41.2	19.9	0.0	5.4	0.3	1,565	519	644	312	0	85	5	
女	43.1	39.4	12.7	0.1	4.7	0.1	2,677	1,153	1,055	340	2	125	2	
<b>65歳</b>	<b>37.5</b>	<b>38.9</b>	<b>16.1</b>	<b>0.1</b>	<b>7.0</b>	<b>0.3</b>	<b>4,943</b>	<b>1,856</b>	<b>1,924</b>	<b>797</b>	<b>4</b>	<b>345</b>	<b>17</b>	
男	31.7	39.4	20.2	0.1	8.2	0.6	1,984	628	781	400	1	162	12	
女	41.5	38.6	13.4	0.1	6.2	0.2	2,959	1,228	1,143	397	3	183	5	
<b>70歳</b>	<b>32.8</b>	<b>41.0</b>	<b>19.9</b>	<b>0.1</b>	<b>5.5</b>	<b>0.7</b>	<b>6,980</b>	<b>2,286</b>	<b>2,861</b>	<b>1,390</b>	<b>6</b>	<b>387</b>	<b>50</b>	
男	29.5	40.4	22.9	0.1	6.1	1.1	3,095	914	1,250	708	2	188	34	
女	35.3	41.5	17.6	0.1	5.1	0.4	3,885	1,372	1,611	682	4	199	16	
<b>75歳</b>	<b>31.7</b>	<b>42.1</b>	<b>20.5</b>	<b>0.1</b>	<b>4.7</b>	<b>1.0</b>	<b>6,192</b>	<b>1,962</b>	<b>2,604</b>	<b>1,271</b>	<b>4</b>	<b>292</b>	<b>59</b>	
男	28.8	41.1	23.4	0.0	5.4	1.3	2,767	797	1,137	648	1	150	35	
女	34.0	42.8	18.2	0.1	4.1	0.7	3,425	1,165	1,467	623	3	142	24	
<b>80歳</b>	<b>30.1</b>	<b>36.4</b>	<b>17.1</b>	<b>0.1</b>	<b>12.8</b>	<b>3.5</b>	<b>1,215</b>	<b>366</b>	<b>442</b>	<b>208</b>	<b>1</b>	<b>156</b>	<b>42</b>	
男	26.7	35.5	20.2	0.0	13.8	3.8	625	167	222	126	0	86	24	
女	33.7	37.3	13.9	0.2	11.9	3.1	590	199	220	82	1	70	18	
<b>85歳～</b>	<b>28.6</b>	<b>32.8</b>	<b>18.1</b>	<b>0.2</b>	<b>13.3</b>	<b>6.9</b>	<b>475</b>	<b>136</b>	<b>156</b>	<b>86</b>	<b>1</b>	<b>63</b>	<b>33</b>	
男	25.7	32.6	21.5	0.0	11.5	8.8	261	67	85	56	0	30	23	
女	32.2	33.2	14.0	0.5	15.4	4.7	214	69	71	30	1	33	10	

(参考)PD  
 0: 健全な状態  
 1: 歯周ポケット(4mm以上6mm未満)  
 2: 歯周ポケット(6mm以上)  
 9: 除外歯  
 X: 該当する歯なし



【40歳】

単位(%)

単位(人)

	PD							受診者数	PD						
	0	1	2	9	不明	X	0		1	2	9	不明	X		
全 県	55.1	35.0	7.1	0.0	2.8	0.0	6,523	3,594	2,281	464	0	184	0		
男	44.4	40.7	11.3	0.0	3.6	0.0	1,763	782	718	200	0	63	0		
女	59.1	32.8	5.5	0.0	2.5	0.0	4,760	2,812	1,563	264	0	121	0		
神 戸	51.7	40.4	7.8	0.0	0.1	0.0	1,521	787	615	118	0	1	0		
男	42.1	47.5	10.5	0.0	0.0	0.0	354	149	168	37	0	0	0		
女	54.7	38.3	6.9	0.0	0.1	0.0	1,167	638	447	81	0	1	0		
阪神南	61.6	32.0	6.2	0.0	0.2	0.0	1,813	1,116	580	113	0	4	0		
男	44.1	42.4	13.5	0.0	0.0	0.0	349	154	148	47	0	0	0		
女	65.7	29.5	4.5	0.0	0.3	0.0	1,464	962	432	66	0	4	0		
阪神北	56.6	36.4	7.0	0.0	0.0	0.0	844	478	307	59	0	0	0		
男	46.9	43.6	9.5	0.0	0.0	0.0	243	114	106	23	0	0	0		
女	60.6	33.4	6.0	0.0	0.0	0.0	601	364	201	36	0	0	0		
東播磨	40.3	48.8	9.3	0.0	1.6	0.0	635	256	310	59	0	10	0		
男	35.3	47.9	14.4	0.0	2.3	0.0	215	76	103	31	0	5	0		
女	42.9	49.3	6.7	0.0	1.2	0.0	420	180	207	28	0	5	0		
北播磨	66.6	23.2	6.3	0.0	3.9	0.0	380	253	88	24	0	15	0		
男	59.2	30.0	10.8	0.0	0.0	0.0	130	77	39	14	0	0	0		
女	70.4	19.6	4.0	0.0	6.0	0.0	250	176	49	10	0	15	0		
中播磨	50.4	43.4	6.2	0.0	0.0	0.0	129	65	56	8	0	0	0		
男	38.7	51.6	9.7	0.0	0.0	0.0	31	12	16	3	0	0	0		
女	54.1	40.8	5.1	0.0	0.0	0.0	98	53	40	5	0	0	0		
西播磨	49.5	23.5	8.2	0.0	18.9	0.0	281	139	66	23	0	53	0		
男	40.9	31.8	12.5	0.0	14.8	0.0	88	36	28	11	0	13	0		
女	53.4	19.7	6.2	0.0	20.7	0.0	193	103	38	12	0	40	0		
但 馬	33.6	25.1	8.5	0.0	32.9	0.0	307	103	77	26	0	101	0		
男	26.1	23.5	11.3	0.0	39.1	0.0	115	30	27	13	0	45	0		
女	38.0	26.0	6.8	0.0	29.2	0.0	192	73	50	13	0	56	0		
丹 波	58.9	32.0	9.1	0.0	0.0	0.0	219	129	70	20	0	0	0		
男	47.8	35.8	16.4	0.0	0.0	0.0	67	32	24	11	0	0	0		
女	63.8	30.3	5.9	0.0	0.0	0.0	152	97	46	9	0	0	0		
淡 路	68.0	28.4	3.6	0.0	0.0	0.0	394	268	112	14	0	0	0		
男	59.6	34.5	5.8	0.0	0.0	0.0	171	102	59	10	0	0	0		
女	74.4	23.8	1.8	0.0	0.0	0.0	223	166	53	4	0	0	0		

【50歳】

単位(%)

単位(人)



	PD							受診者数	PD						
	0	1	2	9	不明	X	0		1	2	9	不明	X		
全 県	43.3	41.1	12.0	0.0	3.5	0.0	5,456	2,365	2,244	653	2	190	2		
男	38.9	42.1	15.6	0.1	3.2	0.1	1,864	725	785	291	1	60	2		
女	45.7	40.6	10.1	0.0	3.6	0.0	3,592	1,640	1,459	362	1	130	0		
神 戸	42.5	44.4	13.1	0.0	0.0	0.0	1,639	697	727	215	0	0	0		
男	38.8	44.8	16.4	0.0	0.0	0.0	538	209	241	88	0	0	0		
女	44.3	44.1	11.5	0.0	0.0	0.0	1,101	488	486	127	0	0	0		
阪神南	40.8	43.5	15.4	0.0	0.3	0.0	779	318	339	120	0	2	0		
男	35.5	41.0	23.1	0.0	0.4	0.0	251	89	103	58	0	1	0		
女	43.4	44.7	11.7	0.0	0.2	0.0	528	229	236	62	0	1	0		
阪神北	48.3	42.4	8.9	0.1	0.1	0.0	695	336	295	62	1	1	0		
男	45.8	44.0	9.8	0.4	0.0	0.0	225	103	99	22	1	0	0		
女	49.6	41.7	8.5	0.0	0.2	0.0	470	233	196	40	0	1	0		
東播磨	34.4	51.0	13.3	0.0	1.4	0.0	588	202	300	78	0	8	0		
男	29.8	55.1	14.6	0.0	0.5	0.0	205	61	113	30	0	1	0		
女	36.8	48.8	12.5	0.0	1.8	0.0	383	141	187	48	0	7	0		
北播磨	55.4	33.3	10.5	0.0	0.7	0.0	408	226	136	43	0	3	0		
男	48.1	36.4	13.6	0.0	1.9	0.0	154	74	56	21	0	3	0		
女	59.8	31.5	8.7	0.0	0.0	0.0	254	152	80	22	0	0	0		
中播磨	40.7	45.0	12.9	0.0	0.7	0.7	140	57	63	18	0	1	1		
男	25.0	55.0	17.5	0.0	0.0	2.5	40	10	22	7	0	0	1		
女	47.0	41.0	11.0	0.0	1.0	0.0	100	47	41	11	0	1	0		
西播磨	40.4	25.2	7.9	0.3	26.2	0.0	317	128	80	25	1	83	0		
男	38.2	28.4	12.7	0.0	20.6	0.0	102	39	29	13	0	21	0		
女	41.4	23.7	5.6	0.5	28.8	0.0	215	89	51	12	1	62	0		
但 馬	21.7	34.5	11.4	0.0	32.4	0.0	281	61	97	32	0	91	0		
男	23.4	32.4	13.5	0.0	30.6	0.0	111	26	36	15	0	34	0		
女	20.6	35.9	10.0	0.0	33.5	0.0	170	35	61	17	0	57	0		
丹 波	52.6	36.2	10.9	0.0	0.3	0.0	312	164	113	34	0	1	0		
男	45.6	36.8	17.5	0.0	0.0	0.0	114	52	42	20	0	0	0		
女	56.6	35.9	7.1	0.0	0.5	0.0	198	112	71	14	0	1	0		
淡 路	59.3	31.6	8.8	0.0	0.0	0.3	297	176	94	26	0	0	1		
男	50.0	35.5	13.7	0.0	0.0	0.8	124	62	44	17	0	0	1		
女	65.9	28.9	5.2	0.0	0.0	0.0	173	114	50	9	0	0	0		

【60歳】

単位(%)

単位(人)

	PD							受診者数	PD						
	0	1	2	9	不明	X	0		1	2	9	不明	X		
全 県	39.4	40.1	15.4	0.0	5.0	0.2	4,242	1,672	1,699	652	2	210	7		
男	33.2	41.2	19.9	0.0	5.4	0.3	1,565	519	644	312	0	85	5		
女	43.1	39.4	12.7	0.1	4.7	0.1	2,677	1,153	1,055	340	2	125	2		
神 戸	34.6	55.8	9.6	0.0	0.0	0.0	52	18	29	5	0	0	0		
男	31.3	56.3	12.5	0.0	0.0	0.0	16	5	9	2	0	0	0		
女	36.1	55.6	8.3	0.0	0.0	0.0	36	13	20	3	0	0	0		
阪神南	34.6	43.7	21.7	0.0	0.0	0.0	581	201	254	126	0	0	0		
男	27.6	46.3	26.2	0.0	0.0	0.0	214	59	99	56	0	0	0		
女	38.7	42.2	19.1	0.0	0.0	0.0	367	142	155	70	0	0	0		
阪神北	42.3	44.8	12.5	0.0	0.3	0.1	745	315	334	93	0	2	1		
男	33.1	50.4	16.1	0.0	0.0	0.4	242	80	122	39	0	0	1		
女	46.7	42.1	10.7	0.0	0.4	0.0	503	235	212	54	0	2	0		
東播磨	34.2	48.0	16.9	0.0	0.7	0.2	562	192	270	95	0	4	1		
男	31.0	47.1	21.9	0.0	0.0	0.0	210	65	99	46	0	0	0		
女	36.1	48.6	13.9	0.0	1.1	0.3	352	127	171	49	0	4	1		
北播磨	46.5	37.5	14.6	0.0	0.9	0.5	424	197	159	62	0	4	2		
男	43.0	35.9	19.7	0.0	0.7	0.7	142	61	51	28	0	1	1		
女	48.2	38.3	12.1	0.0	1.1	0.4	282	136	108	34	0	3	1		
中播磨	31.3	55.7	13.0	0.0	0.0	0.0	115	36	64	15	0	0	0		
男	17.1	65.7	17.1	0.0	0.0	0.0	35	6	23	6	0	0	0		
女	37.5	51.3	11.3	0.0	0.0	0.0	80	30	41	9	0	0	0		
西播磨	37.3	29.5	13.9	0.3	18.9	0.0	359	134	106	50	1	68	0		
男	33.3	27.1	19.4	0.0	20.1	0.0	144	48	39	28	0	29	0		
女	40.0	31.2	10.2	0.5	18.1	0.0	215	86	67	22	1	39	0		
但 馬	27.2	28.9	10.4	0.0	33.5	0.0	394	107	114	41	0	132	0		
男	25.8	26.4	14.1	0.0	33.7	0.0	163	42	43	23	0	55	0		
女	28.1	30.7	7.8	0.0	33.3	0.0	231	65	71	18	0	77	0		
丹 波	45.4	35.4	19.0	0.2	0.0	0.0	621	282	220	118	1	0	0		
男	38.0	39.8	22.2	0.0	0.0	0.0	216	82	86	48	0	0	0		
女	49.4	33.1	17.3	0.2	0.0	0.0	405	200	134	70	1	0	0		
淡 路	48.8	38.3	12.1	0.0	0.0	0.8	389	190	149	47	0	0	3		
男	38.8	39.9	19.7	0.0	0.0	1.6	183	71	73	36	0	0	3		
女	57.8	36.9	5.3	0.0	0.0	0.0	206	119	76	11	0	0	0		



7 歯間部清掃用具の使用状況



		単位(%)			単位(人)			
		使用している	使用していない	不明	受診者数	使用している	使用していない	不明
全体		57.7	40.2	2.1	26,900	15,519	10,821	560
男		46.3	51.1	2.6	9,439	4,367	4,822	250
	女	63.9	34.4	1.8	17,461	11,152	5,999	310
20歳		22.3	76.5	1.1	349	78	267	4
	男	23.4	75.8	0.8	128	30	97	1
女		21.7	76.9	1.4	221	48	170	3
	男	24.7	74.0	1.3	235	58	174	3
25歳		36.1	62.9	0.9	960	347	604	9
	男	24.7	74.0	1.3	235	58	174	3
女		39.9	59.3	0.8	725	289	430	6
	男	31.5	66.7	1.8	387	122	258	7
30歳		50.2	48.9	0.9	2,133	1,070	1,043	20
	男	31.5	66.7	1.8	387	122	258	7
女		54.3	45.0	0.7	1,746	948	785	13
	男	34.2	63.7	2.1	582	199	371	12
35歳		53.8	45.1	1.1	3,009	1,620	1,356	33
	男	34.2	63.7	2.1	582	199	371	12
女		58.5	40.6	0.9	2,427	1,421	985	21
	男	40.4	58.0	1.5	1,758	711	1,020	27
40歳		56.4	42.3	1.3	6,505	3,666	2,753	86
	男	40.4	58.0	1.5	1,758	711	1,020	27
女		62.2	36.5	1.2	4,747	2,955	1,733	59
	男	41.7	56.9	1.4	1,799	750	1,023	26
45歳		56.4	42.2	1.4	5,921	3,339	2,500	82
	男	41.7	56.9	1.4	1,799	750	1,023	26
女		62.8	35.8	1.4	4,122	2,589	1,477	56
	男	46.3	51.9	1.8	1,857	860	964	33
50歳		58.7	39.8	1.4	5,440	3,195	2,167	78
	男	46.3	51.9	1.8	1,857	860	964	33
女		65.2	33.6	1.3	3,583	2,335	1,203	45
	男	47.0	51.0	1.9	1,848	869	943	36
55歳		59.5	38.9	1.6	5,461	3,247	2,127	87
	男	47.0	51.0	1.9	1,848	869	943	36
女		65.8	32.8	1.4	3,613	2,378	1,184	51
	男	47.9	50.0	2.1	1,557	746	779	32
60歳		60.1	37.8	2.1	4,225	2,540	1,596	89
	男	47.9	50.0	2.1	1,557	746	779	32
女		67.2	30.6	2.1	2,668	1,794	817	57
	男	48.7	48.6	2.7	1,973	961	959	53
65歳		59.6	37.9	2.6	4,917	2,929	1,862	126
	男	48.7	48.6	2.7	1,973	961	959	53
女		66.8	30.7	2.5	2,944	1,968	903	73
	男	50.5	46.3	3.3	3,075	1,552	1,423	100
70歳		60.9	36.3	2.8	6,949	4,231	2,525	193
	男	50.5	46.3	3.3	3,075	1,552	1,423	100
女		69.2	28.4	2.4	3,874	2,679	1,102	93
	男	51.6	45.1	3.3	2,746	1,416	1,239	91
75歳		61.7	35.4	2.9	6,162	3,804	2,181	177
	男	51.6	45.1	3.3	2,746	1,416	1,239	91
女		69.9	27.6	2.5	3,416	2,388	942	86
	男	52.7	40.0	7.3	613	323	245	45
80歳		58.1	35.2	6.7	1,195	694	421	80
	男	52.7	40.0	7.3	613	323	245	45
女		63.7	30.2	6.0	582	371	176	35
	男	44.8	43.7	11.5	252	113	110	29
85歳		50.0	40.1	9.9	464	232	186	46
	男	44.8	43.7	11.5	252	113	110	29
女		56.1	35.8	8.0	212	119	76	17

※尖粟市は除く

		単位(%)			単位(人)			
		使用している	使用していない	不明	受診者数	使用している	使用していない	不明
全 県		56.4	42.3	1.3	6,505	3,666	2,753	86
男		40.4	58.0	1.5	1,758	711	1,020	27
	女	62.2	36.5	1.2	4,747	2,955	1,733	59
神 戸		62.8	36.3	0.9	1,521	955	552	14
	男	44.4	54.8	0.8	354	157	194	3
女		68.4	30.7	0.9	1,167	798	358	11
	男	45.3	53.9	0.9	349	158	188	3
阪神南		60.8	38.7	0.6	1,813	1,102	701	10
	男	45.3	53.9	0.9	349	158	188	3
女		64.5	35.0	0.5	1,464	944	513	7
	男	37.4	62.1	0.4	243	91	151	1
阪神北		54.6	45.1	0.2	844	461	381	2
	男	37.4	62.1	0.4	243	91	151	1
女		61.6	38.3	0.2	601	370	230	1
	男	49.6	50.1	0.3	635	315	318	2
東播磨		49.6	50.1	0.3	635	315	318	2
	男	38.6	61.4	0.0	215	83	132	0
女		55.2	44.3	0.5	420	232	186	2
	男	42.1	45.5	12.4	380	160	173	47
北播磨		42.1	45.5	12.4	380	160	173	47
	男	27.7	60.0	12.3	130	36	78	16
女		49.6	38.0	12.4	250	124	95	31
	男	62.0	37.2	0.8	129	80	48	1
中播磨		62.0	37.2	0.8	129	80	48	1
	男	35.5	64.5	0.0	31	11	20	0
女		70.4	28.6	1.0	98	69	28	1
	男	47.5	51.0	1.5	263	125	134	4
西播磨		47.5	51.0	1.5	263	125	134	4
	男	43.4	55.4	1.2	83	36	46	1
女		49.4	48.9	1.7	180	89	88	3
	男	49.8	49.2	1.0	307	153	151	3
但 馬		49.8	49.2	1.0	307	153	151	3
	男	40.0	59.1	0.9	115	46	68	1
女		55.7	43.2	1.0	192	107	83	2
	男	53.9	45.2	0.9	219	118	99	2
丹 波		53.9	45.2	0.9	219	118	99	2
	男	43.3	55.2	1.5	67	29	37	1
女		58.6	40.8	0.7	152	89	62	1
	男	50.0	49.7	0.3	394	197	196	1
淡 路		50.0	49.7	0.3	394	197	196	1
	男	37.4	62.0	0.6	171	64	106	1
女		59.6	40.4	0.0	223	133	90	0

【50歳】		単位(%)			単位(人)			
		使用して いる	使用して いない	不明	受診者数	使用して いる	使用して いない	不明
全 県		58.7	39.8	1.4	5,440	3,195	2,167	78
	男	46.3	51.9	1.8	1,857	860	964	33
	女	65.2	33.6	1.3	3,583	2,335	1,203	45
神 戸		63.5	35.3	1.3	1,639	1,040	578	21
	男	51.7	46.5	1.9	538	278	250	10
	女	69.2	29.8	1.0	1,101	762	328	11
阪神南		64.2	35.2	0.6	779	500	274	5
	男	53.0	46.6	0.4	251	133	117	1
	女	69.5	29.7	0.8	528	367	157	4
阪神北		60.7	39.1	0.1	695	422	272	1
	男	43.6	56.4	0.0	225	98	127	0
	女	68.9	30.9	0.2	470	324	145	1
東播磨		57.3	42.2	0.5	588	337	248	3
	男	48.3	50.7	1.0	205	99	104	2
	女	62.1	37.6	0.3	383	238	144	1
北播磨		45.1	46.1	8.8	408	184	188	36
	男	31.8	59.1	9.1	154	49	91	14
	女	53.1	38.2	8.7	254	135	97	22
中播磨		52.9	45.7	1.4	140	74	64	2
	男	60.0	37.5	2.5	40	24	15	1
	女	50.0	49.0	1.0	100	50	49	1
西播磨		54.5	44.2	1.3	301	164	133	4
	男	41.1	57.9	1.1	95	39	55	1
	女	60.7	37.9	1.5	206	125	78	3
但 馬		54.4	45.2	0.4	281	153	127	1
	男	41.4	57.7	0.9	111	46	64	1
	女	62.9	37.1	0.0	170	107	63	0
丹 波		55.1	43.6	1.3	312	172	136	4
	男	44.7	53.5	1.8	114	51	61	2
	女	61.1	37.9	1.0	198	121	75	2
淡 路		50.2	49.5	0.3	297	149	147	1
	男	34.7	64.5	0.8	124	43	80	1
	女	61.3	38.7	0.0	173	106	67	0

【60歳】		単位(%)			単位(人)			
		使用して いる	使用して いない	不明	受診者数	使用して いる	使用して いない	不明
全 県		60.1	37.8	2.1	4,225	2,540	1,596	89
	男	47.9	50.0	2.1	1,557	746	779	32
	女	67.2	30.6	2.1	2,668	1,794	817	57
神 戸		71.2	28.8	0.0	52	37	15	0
	男	56.3	43.8	0.0	16	9	7	0
	女	77.8	22.2	0.0	36	28	8	0
阪神南		67.5	31.8	0.7	581	392	185	4
	男	57.0	42.5	0.5	214	122	91	1
	女	73.6	25.6	0.8	367	270	94	3
阪神北		65.5	34.0	0.5	745	488	253	4
	男	52.9	46.7	0.4	242	128	113	1
	女	71.6	27.8	0.6	503	360	140	3
東播磨		58.2	40.9	0.9	562	327	230	5
	男	47.1	51.4	1.4	210	99	108	3
	女	64.8	34.7	0.6	352	228	122	2
北播磨		48.8	39.4	11.8	424	207	167	50
	男	35.9	50.0	14.1	142	51	71	20
	女	55.3	34.0	10.6	282	156	96	30
中播磨		59.1	40.9	0.0	115	68	47	0
	男	57.1	42.9	0.0	35	20	15	0
	女	60.0	40.0	0.0	80	48	32	0
西播磨		55.0	42.4	2.6	342	188	145	9
	男	41.2	55.1	3.7	136	56	75	5
	女	64.1	34.0	1.9	206	132	70	4
但 馬		62.7	36.8	0.5	394	247	145	2
	男	50.3	49.7	0.0	163	82	81	0
	女	71.4	27.7	0.9	231	165	64	2
丹 波		59.4	38.5	2.1	621	369	239	13
	男	44.4	54.6	0.9	216	96	118	2
	女	67.4	29.9	2.7	405	273	121	11
淡 路		55.8	43.7	0.5	389	217	170	2
	男	45.4	54.6	0.0	183	83	100	0
	女	65.0	34.0	1.0	206	134	70	2



8 定期的な歯石除去や歯面清掃の受診状況

		単位 (%)			単位 (人)			
		受診している	受診していない	不明	受診者数	受診している	受診していない	不明
全	体	45.3	52.1	2.6	22,786	10,313	11,874	599
	男	42.4	54.7	3.0	8,185	3,468	4,475	242
	女	46.9	50.7	2.4	14,601	6,845	7,399	357
20歳	男	22.2	76.1	1.7	343	76	261	6
	女	21.1	78.0	0.8	123	26	96	1
	男	22.7	75.0	2.3	220	50	165	5
	女	18.3	80.4	1.3	230	42	185	3
	男	30.1	68.4	1.5	722	217	494	11
	女	36.2	62.5	1.4	2,120	767	1,324	29
	男	23.0	74.9	2.1	383	88	297	8
	女	39.1	59.7	1.2	1,737	679	1,037	21
	男	40.4	58.0	1.6	2,983	1,205	1,731	47
	女	29.7	67.9	2.4	576	171	391	14
	男	43.0	55.7	1.4	2,407	1,034	1,340	33
	女	39.0	59.3	1.8	4,844	1,888	2,871	85
	男	32.2	65.8	2.0	1,360	438	895	27
	女	41.6	56.7	1.7	3,484	1,450	1,976	58
	男	38.2	59.8	1.9	4,207	1,609	2,516	82
	女	33.1	64.6	2.3	1,388	460	896	32
	男	40.8	57.5	1.8	2,819	1,149	1,620	50
	女	41.0	56.7	2.3	3,636	1,490	2,063	83
	男	37.3	59.9	2.8	1,268	473	759	36
	女	42.9	55.1	2.0	2,368	1,017	1,304	47
	男	42.9	54.8	2.2	3,675	1,578	2,015	82
	女	38.9	58.3	2.9	1,258	489	733	36
	男	45.1	53.0	1.9	2,417	1,089	1,282	46
	女	48.2	49.3	2.4	3,969	1,915	1,958	96
	男	42.9	54.8	2.3	1,466	629	803	34
	女	51.4	46.1	2.5	2,503	1,286	1,155	62
	男	49.5	47.3	3.2	4,602	2,279	2,178	145
	女	45.5	51.7	2.7	1,856	845	960	51
	男	52.2	44.4	3.4	2,746	1,434	1,218	94
	女	52.2	44.3	3.5	6,673	3,485	2,956	232
	男	49.6	47.0	3.3	2,957	1,468	1,390	99
	女	54.3	42.1	3.6	3,716	2,017	1,566	133
	男	52.7	44.0	3.3	5,936	3,128	2,610	198
	女	50.2	46.5	3.3	2,641	1,326	1,227	88
	男	54.7	42.0	3.3	3,295	1,802	1,383	110
	女	57.8	36.7	5.5	1,108	640	407	61
	男	54.7	39.5	5.8	567	310	224	33
	女	61.0	33.8	5.2	541	330	183	28
	男	59.4	33.3	7.3	426	253	142	31
	女	57.1	35.2	7.7	233	133	82	18
	男	62.2	31.1	6.7	193	120	60	13



※神戸市、宍粟市、相生市、赤穂市、丹波市は除く

【40歳】		単位(%)			単位(人)			
		受診して いる	受診して いない	不明	受診者数	受診して いる	受診して いない	不明
全 県		39.0	59.3	1.8	4,844	1,888	2,871	85
	男	32.2	65.8	2.0	1,360	438	895	27
	女	41.6	56.7	1.7	3,484	1,450	1,976	58
圏	阪神南	41.3	58.4	0.4	1,813	748	1,058	7
	男	33.2	66.8	0.0	349	116	233	0
	女	43.2	56.4	0.5	1,464	632	825	7
	阪神北	36.6	63.3	0.1	844	309	534	1
	男	28.0	72.0	0.0	243	68	175	0
	女	40.1	59.7	0.2	601	241	359	1
	東播磨	31.8	67.6	0.6	635	202	429	4
	男	24.7	74.4	0.9	215	53	160	2
	女	35.5	64.0	0.5	420	149	269	2
	北播磨	35.3	48.7	16.1	380	134	185	61
	男	27.7	60.0	12.3	130	36	78	16
	女	39.2	42.8	18.0	250	98	107	45
域	中播磨	33.3	65.9	0.8	129	43	85	1
	男	35.5	61.3	3.2	31	11	19	1
	女	32.7	67.3	0.0	98	32	66	0
	西播磨	35.8	63.2	1.1	190	68	120	2
男	37.9	58.6	3.4	58	22	34	2	
女	34.8	65.2	0.0	132	46	86	0	
別	但馬	26.4	71.0	2.6	307	81	218	8
	男	20.9	74.8	4.3	115	24	86	5
	女	29.7	68.8	1.6	192	57	132	3
	丹波	55.3	44.7	0.0	152	84	68	0
	男	62.5	37.5	0.0	48	30	18	0
	女	51.9	48.1	0.0	104	54	50	0
	淡路	55.6	44.2	0.3	394	219	174	1
	男	45.6	53.8	0.6	171	78	92	1
女	63.2	36.8	0.0	223	141	82	0	

【50歳】		単位(%)			単位(人)			
		受診して いる	受診して いない	不明	受診者数	受診して いる	受診して いない	不明
全 県		41.0	56.7	2.3	3,636	1,490	2,063	83
	男	37.3	59.9	2.8	1,268	473	759	36
	女	42.9	55.1	2.0	2,368	1,017	1,304	47
圏	阪神南	40.6	58.7	0.8	779	316	457	6
	男	40.6	59.0	0.4	251	102	148	1
	女	40.5	58.5	0.9	528	214	309	5
	阪神北	43.7	56.0	0.3	695	304	389	2
	男	37.3	62.2	0.4	225	84	140	1
	女	46.8	53.0	0.2	470	220	249	1
	東播磨	35.2	62.4	2.4	588	207	367	14
	男	35.6	61.5	2.9	205	73	126	6
	女	35.0	62.9	2.1	383	134	241	8
	北播磨	35.8	54.9	9.3	408	146	224	38
	男	30.5	57.8	11.7	154	47	89	18
	女	39.0	53.1	7.9	254	99	135	20
域	中播磨	26.4	72.1	1.4	140	37	101	2
	男	22.5	75.0	2.5	40	9	30	1
	女	28.0	71.0	1.0	100	28	71	1
	西播磨	39.0	60.0	1.0	205	80	123	2
男	39.7	58.8	1.5	68	27	40	1	
女	38.7	60.6	0.7	137	53	83	1	
別	但馬	28.8	67.3	3.9	281	81	189	11
	男	13.5	82.0	4.5	111	15	91	5
	女	38.8	57.6	3.5	170	66	98	6
	丹波	54.3	44.0	1.6	243	132	107	4
	男	50.0	47.8	2.2	90	45	43	2
	女	56.9	41.8	1.3	153	87	64	2
	淡路	63.0	35.7	1.3	297	187	106	4
	男	57.3	41.9	0.8	124	71	52	1
女	67.1	31.2	1.7	173	116	54	3	



【60歳】		単位(%)			単位(人)			
		受診して いる	受診して いない	不明	受診者数	受診して いる	受診して いない	不明
全 県		<b>48.2</b>	<b>49.3</b>	<b>2.4</b>	<b>3,969</b>	<b>1,915</b>	<b>1,958</b>	<b>96</b>
	男	42.9	54.8	2.3	1,466	629	803	34
	女	51.4	46.1	2.5	2,503	1,286	1,155	62
阪神南		<b>48.7</b>	<b>49.7</b>	<b>1.5</b>	<b>581</b>	<b>283</b>	<b>289</b>	<b>9</b>
	男	43.0	56.5	0.5	214	92	121	1
	女	52.0	45.8	2.2	367	191	168	8
阪神北		<b>49.4</b>	<b>50.3</b>	<b>0.3</b>	<b>745</b>	<b>368</b>	<b>375</b>	<b>2</b>
	男	42.1	57.4	0.4	242	102	139	1
	女	52.9	46.9	0.2	503	266	236	1
東播磨		<b>37.7</b>	<b>60.3</b>	<b>2.0</b>	<b>562</b>	<b>212</b>	<b>339</b>	<b>11</b>
	男	32.4	65.7	1.9	210	68	138	4
	女	40.9	57.1	2.0	352	144	201	7
北播磨		<b>38.7</b>	<b>48.8</b>	<b>12.5</b>	<b>424</b>	<b>164</b>	<b>207</b>	<b>53</b>
	男	38.7	46.5	14.8	142	55	66	21
	女	38.7	50.0	11.3	282	109	141	32
中播磨		<b>36.5</b>	<b>63.5</b>	<b>0.0</b>	<b>115</b>	<b>42</b>	<b>73</b>	<b>0</b>
	男	31.4	68.6	0.0	35	11	24	0
	女	38.8	61.3	0.0	80	31	49	0
西播磨		<b>45.1</b>	<b>53.3</b>	<b>1.6</b>	<b>255</b>	<b>115</b>	<b>136</b>	<b>4</b>
	男	36.5	61.5	2.1	96	35	59	2
	女	50.3	48.4	1.3	159	80	77	2
但 馬		<b>35.5</b>	<b>61.7</b>	<b>2.8</b>	<b>394</b>	<b>140</b>	<b>243</b>	<b>11</b>
	男	29.4	68.7	1.8	163	48	112	3
	女	39.8	56.7	3.5	231	92	131	8
丹 波		<b>64.9</b>	<b>35.1</b>	<b>0.0</b>	<b>504</b>	<b>327</b>	<b>177</b>	<b>0</b>
	男	59.1	40.9	0.0	181	107	74	0
	女	68.1	31.9	0.0	323	220	103	0
淡 路		<b>67.9</b>	<b>30.6</b>	<b>1.5</b>	<b>389</b>	<b>264</b>	<b>119</b>	<b>6</b>
	男	60.7	38.3	1.1	183	111	70	2
	女	74.3	23.8	1.9	206	153	49	4



9 定期的な歯科健診の受診状況



		単位(%)			単位(人)			
		受診して いる	受診して いない	不明	受診者数	受診して いる	受診して いない	不明
全 体		45.3	52.3	2.4	26,900	12,182	14,071	647
	男	42.5	54.7	2.8	9,439	4,008	5,162	269
	女	46.8	51.0	2.2	17,461	8,174	8,909	378
20歳		24.6	74.2	1.1	349	86	259	4
	男	27.3	71.9	0.8	128	35	92	1
	女	23.1	75.6	1.4	221	51	167	3
25歳		30.4	68.2	1.4	960	292	655	13
	男	25.5	73.2	1.3	235	60	172	3
	女	32.0	66.6	1.4	725	232	483	10
30歳		38.5	60.0	1.5	2,133	822	1,280	31
	男	27.9	70.0	2.1	387	108	271	8
	女	40.9	57.8	1.3	1,746	714	1,009	23
35歳		42.5	56.2	1.3	3,009	1,279	1,692	38
	男	31.3	66.3	2.4	582	182	386	14
	女	45.2	53.8	1.0	2,427	1,097	1,306	24
40歳		39.4	59.0	1.6	6,505	2,560	3,839	106
	男	31.3	66.4	2.2	1,758	551	1,168	39
	女	42.3	56.3	1.4	4,747	2,009	2,671	67
45歳		38.6	59.6	1.9	5,921	2,285	3,526	110
	男	32.2	65.5	2.3	1,799	580	1,178	41
	女	41.4	57.0	1.7	4,122	1,705	2,348	69
50歳		40.8	57.1	2.1	5,440	2,219	3,107	114
	男	37.0	60.6	2.4	1,857	688	1,125	44
	女	42.7	55.3	2.0	3,583	1,531	1,982	70
55歳		41.7	56.1	2.2	5,461	2,278	3,061	122
	男	38.5	59.0	2.4	1,848	712	1,091	45
	女	43.3	54.5	2.1	3,613	1,566	1,970	77
60歳		47.9	49.5	2.6	4,225	2,023	2,092	110
	男	43.0	54.3	2.6	1,557	670	846	41
	女	50.7	46.7	2.6	2,668	1,353	1,246	69
65歳		49.6	47.4	2.9	4,917	2,441	2,332	144
	男	46.0	51.2	2.8	1,973	907	1,011	55
	女	52.1	44.9	3.0	2,944	1,534	1,321	89
70歳		53.2	43.8	3.0	6,949	3,699	3,041	209
	男	50.7	46.2	3.1	3,075	1,560	1,420	95
	女	55.2	41.8	2.9	3,874	2,139	1,621	114
75歳		53.9	43.0	3.1	6,162	3,321	2,652	189
	男	51.4	45.3	3.3	2,746	1,411	1,244	91
	女	55.9	41.2	2.9	3,416	1,910	1,408	98
80歳		59.7	34.8	5.5	1,195	713	416	66
	男	57.9	36.1	6.0	613	355	221	37
	女	61.5	33.5	5.0	582	358	195	29
85歳		61.0	32.3	6.7	464	283	150	31
	男	60.7	31.3	7.9	252	153	79	20
	女	61.3	33.5	5.2	212	130	71	11

※穴栗市は除く

		単位(%)			単位(人)			
		受診して いる	受診して いない	不明	受診者数	受診して いる	受診して いない	不明
全 県		39.4	59.0	1.6	6,505	2,560	3,839	106
	男	31.3	66.4	2.2	1,758	551	1,168	39
	女	42.3	56.3	1.4	4,747	2,009	2,671	67
神 戸		34.8	63.2	2.0	1,521	529	962	30
	男	29.7	68.1	2.3	354	105	241	8
	女	36.3	61.8	1.9	1,167	424	721	22
阪神南		44.2	55.2	0.6	1,813	801	1,001	11
	男	34.4	64.8	0.9	349	120	226	3
	女	46.5	52.9	0.5	1,464	681	775	8
阪神北		37.7	62.1	0.2	844	318	524	2
	男	29.2	70.4	0.4	243	71	171	1
	女	41.1	58.7	0.2	601	247	353	1
東播磨		34.2	65.4	0.5	635	217	415	3
	男	25.1	74.0	0.9	215	54	159	2
	女	38.8	61.0	0.2	420	163	256	1
北播磨		39.7	47.9	12.4	380	151	182	47
	男	28.5	59.2	12.3	130	37	77	16
	女	45.6	42.0	12.4	250	114	105	31
中播磨		33.3	65.9	0.8	129	43	85	1
	男	32.3	64.5	3.2	31	10	20	1
	女	33.7	66.3	0.0	98	33	65	0
西播磨		33.8	63.5	2.7	263	89	167	7
	男	25.3	69.9	4.8	83	21	58	4
	女	37.8	60.6	1.7	180	68	109	3
但 馬		28.7	70.4	1.0	307	88	216	3
	男	20.9	77.4	1.7	115	24	89	2
	女	33.3	66.1	0.5	192	64	127	1
丹 波		49.3	50.2	0.5	219	108	110	1
	男	47.8	50.7	1.5	67	32	34	1
	女	50.0	50.0	0.0	152	76	76	0
淡 路		54.8	44.9	0.3	394	216	177	1
	男	45.0	54.4	0.6	171	77	93	1
	女	62.3	37.7	0.0	223	139	84	0

【50歳】		単位(%)			単位(人)			
		受診して いる	受診して いない	不明	受診者数	受診して いる	受診して いない	不明
全 県		40.8	57.1	2.1	5,440	2,219	3,107	114
	男	37.0	60.6	2.4	1,857	688	1,125	44
	女	42.7	55.3	2.0	3,583	1,531	1,982	70
神 戸		38.1	59.2	2.7	1,639	624	970	45
	男	35.3	61.7	3.0	538	190	332	16
	女	39.4	57.9	2.6	1,101	434	638	29
阪神南		45.6	53.5	0.9	779	355	417	7
	男	45.0	54.2	0.8	251	113	136	2
	女	45.8	53.2	0.9	528	242	281	5
阪神北		43.0	56.4	0.6	695	299	392	4
	男	36.9	62.7	0.4	225	83	141	1
	女	46.0	53.4	0.6	470	216	251	3
東播磨		36.7	62.6	0.7	588	216	368	4
	男	37.1	62.4	0.5	205	76	128	1
	女	36.6	62.7	0.8	383	140	240	3
北播磨		38.2	52.7	9.1	408	156	215	37
	男	31.8	57.1	11.0	154	49	88	17
	女	42.1	50.0	7.9	254	107	127	20
中播磨		25.7	72.1	2.1	140	36	101	3
	男	20.0	77.5	2.5	40	8	31	1
	女	28.0	70.0	2.0	100	28	70	2
西播磨		36.9	62.5	0.7	301	111	188	2
	男	36.8	63.2	0.0	95	35	60	0
	女	36.9	62.1	1.0	206	76	128	2
但 馬		26.3	70.8	2.8	281	74	199	8
	男	15.3	80.2	4.5	111	17	89	5
	女	33.5	64.7	1.8	170	57	110	3
丹 波		51.3	48.7	0.0	312	160	152	0
	男	41.2	58.8	0.0	114	47	67	0
	女	57.1	42.9	0.0	198	113	85	0
淡 路		63.3	35.4	1.3	297	188	105	4
	男	56.5	42.7	0.8	124	70	53	1
	女	68.2	30.1	1.7	173	118	52	3


【60歳】		単位(%)			単位(人)			
		受診して いる	受診して いない	不明	受診者数	受診して いる	受診して いない	不明
全 県		47.9	49.5	2.6	4,225	2,023	2,092	110
	男	43.0	54.3	2.6	1,557	670	846	41
	女	50.7	46.7	2.6	2,668	1,353	1,246	69
神 戸		51.9	48.1	0.0	52	27	25	0
	男	43.8	56.3	0.0	16	7	9	0
	女	55.6	44.4	0.0	36	20	16	0
阪神南		47.3	49.1	3.6	581	275	285	21
	男	42.1	53.7	4.2	214	90	115	9
	女	50.4	46.3	3.3	367	185	170	12
阪神北		46.2	53.0	0.8	745	344	395	6
	男	41.3	58.3	0.4	242	100	141	1
	女	48.5	50.5	1.0	503	244	254	5
東播磨		39.0	60.3	0.7	562	219	339	4
	男	32.4	66.7	1.0	210	68	140	2
	女	42.9	56.5	0.6	352	151	199	2
北播磨		40.6	47.2	12.3	424	172	200	52
	男	40.1	44.4	15.5	142	57	63	22
	女	40.8	48.6	10.6	282	115	137	30
中播磨		33.0	67.0	0.0	115	38	77	0
	男	25.7	74.3	0.0	35	9	26	0
	女	36.3	63.8	0.0	80	29	51	0
西播磨		47.4	50.3	2.3	342	162	172	8
	男	42.6	55.1	2.2	136	58	75	3
	女	50.5	47.1	2.4	206	104	97	5
但 馬		38.1	61.4	0.5	394	150	242	2
	男	29.4	69.9	0.6	163	48	114	1
	女	44.2	55.4	0.4	231	102	128	1
丹 波		59.7	38.6	1.6	621	371	240	10
	男	53.2	46.3	0.5	216	115	100	1
	女	63.2	34.6	2.2	405	256	140	9
淡 路		68.1	30.1	1.8	389	265	117	7
	男	64.5	34.4	1.1	183	118	63	2
	女	71.4	26.2	2.4	206	147	54	5



10 8020目標値達成者率


単位(%)



	地 域 別	地 域 別										
		全 県	神 戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但 馬	丹 波	淡 路
全 体		82.9	87.4	83.7	75.5	85.5	86.6	88.2	84.1	77.6	81.6	81.6
	男	81.3	89.0	81.8	73.3	85.2	85.5	87.7	81.5	74.1	80.8	79.5
	女	83.8	86.8	84.6	76.7	85.8	87.4	88.4	85.9	80.5	82.0	83.6
40歳		82.2	81.3	81.5	81.8	85.2	84.2	86.0	85.1	80.1	81.7	82.7
	男	83.1	84.2	78.8	86.0	87.0	83.8	90.3	81.8	80.0	73.1	85.4
	女	81.9	80.4	82.1	80.0	84.3	84.4	84.7	86.5	80.2	85.5	80.7
45歳		83.4	81.5	80.4	83.4	85.2	87.3	87.5	89.3	82.8	85.7	85.9
	男	84.6	84.3	79.1	86.3	87.0	87.9	95.1	87.0	83.5	82.8	85.5
	女	82.9	80.6	80.8	82.1	84.3	87.0	84.5	90.5	82.4	87.4	86.3
50歳		93.4	92.6	93.7	93.5	95.2	94.4	93.6	94.3	91.5	91.7	93.9
	男	92.9	91.6	94.4	93.8	96.6	95.5	92.5	92.2	89.2	91.2	90.3
	女	93.6	93.0	93.4	93.4	94.5	93.7	94.0	95.3	92.9	91.9	96.5
55歳		90.9	92.6	93.8	82.4	95.2	92.3	91.9	92.6	88.3	85.3	91.5
	男	90.0	91.7	94.7	80.3	96.6	92.3	90.9	90.1	81.6	84.4	90.3
	女	91.3	93.1	93.4	83.4	94.5	92.3	92.2	93.9	92.9	85.7	92.4
60歳		83.0	96.2	88.1	69.3	88.3	89.6	89.6	85.2	81.0	79.7	87.9
	男	80.8	100.0	86.9	64.5	85.2	88.7	100.0	83.3	73.6	79.6	84.2
	女	84.2	94.4	88.8	71.6	90.1	90.1	85.0	86.5	86.1	79.8	91.3
65歳		81.9	94.3	88.1	68.6	88.3	86.0	88.7	83.5	78.2	79.4	84.4
	男	79.2	92.6	87.0	63.0	85.2	86.0	92.2	82.6	72.7	79.3	79.3
	女	83.6	95.0	88.8	71.6	90.1	86.0	86.7	84.2	82.9	79.5	89.8
70歳		78.2	88.8	79.3	71.4	80.1	83.8	87.0	82.0	73.6	67.1	74.6
	男	76.3	88.1	76.2	68.4	80.3	83.3	81.5	79.9	69.6	71.7	72.9
	女	79.8	89.2	81.5	73.5	79.9	84.3	90.5	83.8	77.5	64.9	76.5
75歳		77.1	87.8	79.0	72.8	80.1	84.1	86.8	79.0	67.8	68.8	63.6
	男	75.4	90.3	75.8	70.8	80.3	81.6	79.7	77.1	66.7	71.4	65.2
	女	78.4	86.4	81.2	74.3	79.9	86.6	91.4	80.9	69.0	67.4	61.9
80歳		66.1	97.2	71.4	42.5	—	81.3	77.8	74.5	63.8	—	61.5
	男	67.8	100.0	75.0	45.0	—	78.4	76.5	75.9	66.9	—	59.7
	女	64.2	94.7	66.7	40.4	—	85.4	78.9	72.8	60.8	—	63.3



(参考)8020目標値

- 35～39歳 : 28歯以上
- 40～44歳 : 28歯以上
- 45～49歳 : 25歯以上
- 50～54歳 : 25歯以上
- 55～59歳 : 24歯以上
- 60～64歳 : 24歯以上
- 65～69歳 : 22歯以上
- 70～74歳 : 22歯以上
- 75～79歳 : 20歯以上
- 80～84歳 : 20歯以上





※歯周疾患の有病状況(全県)の経年比較は、平成28年度より評価指標が変更となったため、比較グラフの掲載は3年間に なります。

