

平成 27 年度歯周疾患検診等結果のまとめ

兵庫県健康福祉部健康局健康増進課調べ



1 調査項目

	市町数
全 体	39
対象者数	37
現在歯数	39
CPIコード値	39
歯間部清掃用具の使用状況	39
定期的な歯石除去等の受診状況	39
定期的な歯科健診の受診状況	39
8020目標値達成者数	39

※「20歳」は「15～19歳」と「20～24歳」のデータの平均値、「25歳」は「20～24歳」と「25～29歳」のデータの平均値として算出


2 受診率

	全 県	地 域 別									
		神 戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但 馬	丹 波	淡 路
全 体	2.0	-	1.2	1.6	2.7	1.5	1.2	1.2	2.0	6.4	2.5
男	1.2	-	0.7	1.1	2.2	1.2	0.7	1.0	1.8	4.2	2.2
女	2.4	-	1.7	2.0	3.3	1.8	1.7	1.4	2.3	8.6	2.7
40歳	2.6	-	2.0	2.0	2.7	1.6	1.3	1.0	1.7	6.1	2.7
男	1.2	-	0.8	1.2	1.9	1.1	0.7	0.6	1.1	3.4	2.1
女	3.8	-	3.2	2.8	3.4	2.1	1.9	1.4	2.4	8.8	3.3
50歳	1.6	-	0.9	1.3	2.4	1.5	1.3	0.8	1.4	5.9	2.1
男	0.9	-	0.6	0.8	1.8	1.0	0.6	0.7	1.0	4.3	1.7
女	1.9	-	1.2	1.8	3.1	1.9	2.0	1.0	1.7	7.3	2.4
60歳	2.0	-	0.9	1.6	2.7	1.4	1.2	1.1	1.9	11.1	2.4
男	1.3	-	0.7	1.2	2.1	1.1	0.8	0.9	1.7	7.8	2.2
女	2.4	-	1.1	2.1	3.3	1.7	1.6	1.3	2.1	14.4	2.6
70歳	1.8	-	1.1	1.5	3.2	1.7	1.2	1.8	3.1	1.9	2.6
男	1.5	-	0.9	1.3	3.0	1.7	0.9	1.8	3.4	0.8	2.7
女	1.8	-	1.2	1.7	3.3	1.7	1.5	1.7	2.8	3.1	2.5



3 一人あたり現在函数

		全 県	地 域 別									
			神 戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但 馬	丹 波	淡 路
全 体		26.3	27.9	27.3	26.9	24.7	26.3	26.4	25.6	24.6	25.4	25.1
	男	26.0	28.1	26.7	28.4	24.7	26.0	26.3	25.4	23.3	25.4	24.4
	女	26.4	27.8	27.5	26.2	24.6	26.5	26.4	25.8	25.6	25.4	25.6
20歳		28.4	-	28.7	28.5	-	28.0	-	25.1	28.2	28.0	27.9
	男	28.0	-	28.5	28.5	-	28.0	-	19.3	28.0	-	27.2
	女	28.6	-	28.8	28.6	-	28.0	-	29.5	28.2	28.0	28.5
25歳		28.7	-	28.7	28.7	-	29.1	32.0	28.6	28.6	28.7	28.6
	男	28.5	-	28.7	28.7	-	28.7	-	24.7	29.0	28.7	28.4
	女	28.8	-	28.7	28.7	-	29.2	32.0	30.7	28.5	28.7	28.7
30歳		28.6	-	28.6	28.5	-	28.8	29.3	28.9	28.5	28.6	28.7
	男	28.6	-	28.6	28.4	-	28.8	28.0	28.3	28.5	28.8	28.8
	女	28.6	-	28.6	28.6	-	28.9	29.6	29.1	28.5	28.5	28.6
35歳		28.4	28.6	28.5	28.5	-	27.2	28.6	28.5	28.3	28.3	28.5
	男	28.1	29.1	28.8	28.4	-	23.2	28.0	28.1	28.6	28.6	28.7
	女	28.5	28.5	28.5	28.5	-	28.7	28.8	28.7	28.3	28.2	28.5
40歳		28.1	28.3	28.3	28.7	26.5	27.9	28.6	28.6	28.6	28.1	28.2
	男	28.0	28.6	28.6	28.6	26.3	27.0	28.7	28.4	28.7	28.4	27.9
	女	28.2	28.2	28.2	28.7	26.6	28.4	28.5	28.6	28.6	28.0	28.4
45歳		28.1	28.3	28.3	28.6	26.5	28.4	28.6	28.4	28.4	27.9	27.8
	男	28.1	28.6	28.6	28.5	26.3	28.6	28.8	28.2	28.3	28.0	27.3
	女	28.1	28.2	28.1	28.6	26.6	28.3	28.6	28.5	28.5	27.9	28.1
50歳		27.4	27.9	27.8	27.9	25.8	27.7	26.3	27.6	27.1	27.2	27.4
	男	29.0	27.9	27.7	39.4	25.8	27.7	24.7	27.9	26.4	27.0	27.2
	女	26.6	27.8	27.9	22.9	25.7	27.6	26.8	27.5	27.5	27.3	27.5
55歳		27.2	27.9	27.8	27.7	25.8	27.5	26.0	27.3	26.4	26.2	27.0
	男	28.7	27.9	27.6	38.8	25.8	27.7	25.0	27.7	25.4	26.3	26.7
	女	26.4	27.9	27.9	22.8	25.7	27.4	26.3	27.0	27.0	26.2	27.2
60歳		25.8	27.2	26.3	26.6	24.1	26.4	26.7	26.2	25.6	24.9	26.0
	男	25.6	27.1	25.9	26.7	24.2	26.5	27.5	26.3	24.3	24.6	26.1
	女	25.8	27.3	26.5	26.6	24.1	26.4	26.3	26.2	26.6	25.0	25.9
65歳		25.3	26.7	26.2	26.1	24.1	26.1	26.2	25.4	24.6	24.4	24.9
	男	25.2	26.3	26.0	26.3	24.2	26.1	26.3	25.7	23.7	24.1	24.7
	女	25.4	27.0	26.4	26.0	24.1	26.1	26.1	25.1	25.4	24.5	25.0
70歳		23.9	26.2	24.2	24.8	22.2	24.5	24.8	24.7	22.8	21.3	24.0
	男	24.2	26.2	24.4	25.1	22.7	25.3	25.9	24.8	22.4	23.0	23.7
	女	23.7	26.2	24.0	24.6	21.8	23.8	24.3	24.6	23.2	20.9	24.2
75歳		23.0	20.5	24.1	24.1	22.2	23.9	24.5	23.2	20.6	20.5	21.3
	男	23.3	25.9	24.4	24.1	22.7	24.9	25.3	23.7	19.7	22.4	21.1
	女	22.7	16.9	23.9	24.0	21.8	22.9	24.1	22.8	21.5	19.6	21.6
80歳		19.6	15.6	21.4	21.0	-	22.5	19.5	21.4	18.5	17.3	17.6
	男	19.7	25.7	18.3	20.6	-	22.2	18.9	22.9	17.2	18.8	17.2
	女	19.4	8.6	22.6	21.5	-	23.1	20.0	20.1	20.2	16.3	18.1
85歳～		17.1	24.0	18.1	18.8	-	20.3	14.3	19.3	16.6	14.8	14.4
	男	16.9	25.4	15.0	19.0	-	19.5	13.0	19.7	17.0	15.6	12.9
	女	17.3	22.9	18.9	18.7	-	22.8	15.2	18.9	15.9	14.3	15.9




4 歯周疾患を有する者の割合
【全 県】

		CPIコード							(再掲)
		0	1	2	3	4	不明	対象歯なし	3≤
全	体	14.6	9.3	32.9	31.0	10.9	0.8	0.5	41.9
	男	9.5	7.3	30.9	35.4	15.2	0.9	0.9	50.5
	女	17.3	10.3	33.9	28.8	8.7	0.8	0.3	37.5
年	20歳	21.6	14.0	48.9	14.0	0.0	1.5	0.0	14.0
	男	14.2	13.3	52.2	17.7	0.0	2.7	0.0	17.7
	女	25.5	14.4	47.2	12.0	0.0	0.9	0.0	12.0
	25歳	26.2	13.7	44.3	13.3	1.2	1.4	0.0	14.5
	男	13.4	13.8	52.5	17.1	1.8	1.4	0.0	18.9
	女	29.9	13.6	41.9	12.2	1.0	1.4	0.0	13.2
別	30歳	29.2	13.7	40.6	13.2	1.6	1.6	0.0	14.9
	男	13.5	11.0	50.8	20.7	3.3	0.6	0.0	24.0
	女	32.4	14.2	38.5	11.7	1.3	1.9	0.0	13.0
	35歳	29.5	13.8	38.7	14.9	1.8	1.3	0.0	16.7
	男	13.3	11.0	49.7	21.5	3.6	0.9	0.0	25.0
	女	33.1	14.4	36.3	13.5	1.4	1.4	0.0	14.9
別	40歳	17.2	10.5	38.6	27.1	6.0	0.5	0.0	33.2
	男	9.2	7.7	39.1	33.3	10.1	0.5	0.0	43.4
	女	20.2	11.5	38.4	24.8	4.5	0.5	0.0	29.4
	45歳	14.4	9.6	38.9	29.5	7.3	0.4	0.0	36.8
	男	9.3	7.0	37.2	34.6	11.6	0.4	0.0	46.1
	女	16.6	10.6	39.6	27.3	5.4	0.4	0.0	32.8
別	50歳	10.8	8.5	35.8	34.8	9.8	0.3	0.1	44.6
	男	8.7	6.9	33.5	37.6	12.8	0.3	0.1	50.4
	女	11.8	9.2	36.9	33.4	8.3	0.2	0.1	41.7
	55歳	10.0	8.8	34.5	36.0	10.2	0.3	0.1	46.2
	男	8.1	7.4	32.4	38.5	12.8	0.7	0.1	51.3
	女	10.9	9.6	35.6	34.8	8.9	0.2	0.0	43.7
別	60歳	11.7	8.7	28.3	35.4	15.0	0.6	0.2	50.4
	男	8.7	8.2	27.4	36.2	18.2	1.0	0.4	54.4
	女	13.6	9.0	28.9	34.9	13.1	0.4	0.1	48.0
	65歳	11.8	8.0	28.0	35.7	15.3	0.8	0.4	50.9
	男	8.9	7.4	27.5	36.8	18.0	0.9	0.5	54.8
	女	13.7	8.5	28.4	34.9	13.4	0.7	0.4	48.3

(参考)CPIコード

- 0 : 健全な状態
- 1 : ブローピング後の出血
- 2 : 歯石の沈着
- 3 : 歯周ポケット
4mm以上6mm未満
- 4 : 歯周ポケット
6mm以上

		CPIコード							(再掲)
		0	1	2	3	4	不明	対象歯なし	3≤
年齢別	70歳	11.7	6.9	24.9	36.7	18.2	1.0	0.6	54.9
	男	10.1	5.7	24.5	38.0	20.0	1.2	0.6	58.1
	女	13.0	7.8	25.3	35.7	16.7	0.8	0.5	52.4
	75歳	10.6	6.7	22.7	37.7	20.3	1.0	1.0	58.1
	男	9.8	5.8	21.2	38.4	22.3	1.1	1.4	60.7
	女	11.3	7.3	23.8	37.2	18.8	0.9	0.7	55.9
	80歳	8.6	7.7	19.6	36.3	19.6	2.6	5.6	55.9
	男	9.0	7.4	16.6	35.8	22.2	2.2	6.9	58.0
	女	8.2	8.0	22.8	36.9	16.8	3.1	4.3	53.7
	85歳～	8.3	7.1	18.4	34.9	17.7	3.9	9.7	52.6
	男	9.2	6.6	15.4	34.8	19.3	3.6	11.1	54.1
	女	7.3	7.7	21.9	35.0	15.8	4.2	8.1	50.8



【40歳】

		CPIコード							(再掲)
		0	1	2	3	4	不明	対象歯なし	3≤
全 県		17.2	10.5	38.6	27.1	6.0	0.5	0.0	33.2
	男	9.2	7.7	39.1	33.3	10.1	0.5	0.0	43.4
	女	20.2	11.5	38.4	24.8	4.5	0.5	0.0	29.4
神 戸		11.3	9.1	41.5	31.8	6.3	0.0	0.0	38.1
	男	6.8	7.0	40.1	36.6	9.6	0.0	0.0	46.2
	女	12.7	9.7	41.9	30.4	5.3	0.0	0.0	35.7
阪神南		27.6	10.2	37.6	20.6	3.7	0.3	0.0	24.3
	男	8.2	7.4	41.5	33.9	9.0	0.0	0.0	42.9
	女	32.4	10.9	36.6	17.3	2.4	0.3	0.0	19.7
阪神北		12.3	11.4	42.6	26.6	6.9	0.1	0.0	33.6
	男	5.4	9.1	40.2	33.7	11.6	0.0	0.0	45.3
	女	15.1	12.3	43.6	23.7	5.0	0.1	0.0	28.8
東播磨		9.3	8.7	32.3	39.2	10.0	0.5	0.0	49.2
	男	8.7	4.7	27.9	43.0	15.4	0.3	0.0	58.4
	女	9.6	11.0	34.8	37.1	7.0	0.6	0.0	44.0
北播磨		25.3	6.9	30.3	28.8	6.2	2.4	0.0	35.0
	男	19.0	4.3	31.5	34.2	9.2	1.6	0.0	43.5
	女	28.6	8.3	29.7	26.0	4.6	2.9	0.0	30.6
中播磨		10.6	10.6	24.0	44.7	8.9	1.1	0.0	53.6
	男	13.0	6.5	23.9	34.8	19.6	2.2	0.0	54.3
	女	9.8	12.0	24.1	48.1	5.3	0.8	0.0	53.4
西播磨		20.8	15.7	37.6	17.8	4.6	3.6	0.0	22.3
	男	19.4	11.3	35.5	21.0	8.1	4.8	0.0	33.9
	女	21.5	17.8	38.5	16.3	3.0	3.0	0.0	19.3
但 馬		12.7	18.8	32.5	25.4	10.7	0.0	0.0	36.0
	男	4.4	22.1	39.7	25.0	8.8	0.0	0.0	33.8
	女	17.1	17.1	28.7	25.6	11.6	0.0	0.0	37.2
丹 波		21.6	17.6	35.2	18.4	7.2	0.0	0.0	25.6
	男	14.1	13.1	39.4	23.2	10.1	0.0	0.0	57.4
	女	24.6	19.4	33.5	16.5	6.0	0.0	0.0	22.6
淡 路		13.0	11.9	56.1	16.1	1.8	1.1	0.0	17.9
	男	8.6	7.4	62.3	18.3	2.3	1.1	0.0	20.6
	女	15.9	14.8	52.0	14.8	1.5	1.1	0.0	16.2



【50歳】

	CPIコード							(再掲) 3≤
	0	1	2	3	4	不明	対象箇なし	
全 県	10.8	8.5	35.8	34.8	9.8	0.3	0.1	44.6
男	8.7	6.9	33.5	37.6	12.8	0.3	0.1	50.4
女	11.8	9.2	36.9	33.4	8.3	0.2	0.1	41.7
神 戸	8.5	7.7	39.4	36.4	8.1	0.0	0.0	44.5
男	8.2	7.4	41.5	33.9	9.0	0.0	0.0	49.8
女	12.7	9.7	41.9	30.4	5.3	0.0	0.0	42.3
阪神南	8.8	6.6	39.2	36.1	9.3	0.0	0.0	45.4
男	6.5	6.5	41.4	36.0	9.5	0.0	0.0	50.2
女	32.4	10.9	36.6	17.3	2.4	0.3	0.0	43.2
阪神北	8.0	10.4	35.4	34.5	11.5	0.0	0.1	46.0
男	4.9	9.5	35.8	35.0	14.8	0.0	0.0	53.1
女	15.1	12.3	43.6	23.7	5.0	0.1	0.0	42.9
東播磨	8.3	6.6	29.3	43.6	11.9	0.3	0.0	55.5
男	7.3	6.3	27.2	44.7	14.1	0.5	0.0	58.7
女	8.8	6.7	30.5	43.0	10.7	0.3	0.0	53.7
北播磨	18.6	7.5	29.1	36.0	8.6	0.2	0.0	44.5
男	13.5	3.7	28.2	41.1	12.9	0.6	0.0	54.0
女	21.4	9.5	29.6	33.2	6.3	0.0	0.0	39.5
中播磨	6.0	6.6	30.7	40.4	16.3	0.0	0.0	56.6
男	5.1	7.7	20.5	43.6	23.1	0.0	0.0	66.7
女	6.3	6.3	33.9	39.4	14.2	0.0	0.0	53.5
西播磨	22.1	6.9	34.5	25.5	7.6	3.4	0.0	33.1
男	22.2	4.8	27.0	30.2	12.7	3.2	0.0	42.9
女	22.0	8.5	40.2	22.0	3.7	3.7	0.0	25.6
但 馬	13.6	10.1	26.0	33.1	16.6	0.6	0.0	49.7
男	4.6	7.7	30.8	30.8	24.6	1.5	0.0	55.4
女	19.2	11.5	23.1	34.6	11.5	0.0	0.0	46.2
丹 波	16.6	15.7	32.2	25.4	9.5	0.0	0.6	34.9
男	12.4	14.0	36.4	23.1	13.2	0.0	0.8	36.4
女	18.9	16.6	30.0	26.7	7.4	0.0	0.5	34.1
淡 路	10.4	8.1	53.1	24.2	3.3	0.9	0.0	27.5
男	7.4	6.6	46.3	35.3	4.4	0.0	0.0	39.7
女	12.6	9.0	57.8	16.6	2.5	1.5	0.0	19.1

【60歳】

	CPIコード							(再掲) 3≤
	0	1	2	3	4	不明	対象箇なし	
全 県	11.7	8.7	28.3	35.4	15.0	0.6	0.2	50.4
男	8.7	8.2	27.4	36.2	18.2	1.0	0.4	54.4
女	13.6	9.0	28.9	34.9	13.1	0.4	0.1	48.0
神 戸	18.9	16.2	16.2	35.1	13.5	0.0	0.0	48.6
男	23.8	0.0	19.0	42.9	14.3	0.0	0.0	57.1
女	17.0	22.6	15.1	32.1	13.2	0.0	0.0	45.3
阪神南	8.9	7.6	30.5	36.0	16.7	0.3	0.0	52.6
男	4.7	5.5	28.5	43.4	17.0	0.9	0.0	60.4
女	11.3	8.8	31.7	31.7	16.5	0.0	0.0	48.2
阪神北	9.2	8.0	30.5	36.4	15.4	0.4	0.1	51.9
男	8.7	6.7	27.4	38.1	18.7	0.4	0.0	56.7
女	9.4	8.6	32.0	35.6	13.8	0.4	0.2	49.4
東播磨	9.0	5.6	23.5	42.8	17.8	0.9	0.3	60.6
男	7.9	6.3	24.2	39.2	21.3	0.8	0.4	60.4
女	9.7	5.2	23.1	45.0	15.7	1.0	0.2	60.7
北播磨	16.6	6.6	23.8	35.9	16.6	0.4	0.0	52.6
男	15.3	7.9	21.6	33.7	21.1	0.5	0.0	54.7
女	17.5	5.7	25.3	37.4	13.8	0.3	0.0	51.2
中播磨	10.3	6.8	21.2	45.2	16.4	0.0	0.0	61.6
男	10.0	4.0	20.0	44.0	22.0	0.0	0.0	66.0
女	10.4	8.3	21.9	45.8	13.5	0.0	0.0	59.4
西播磨	18.8	8.7	31.0	28.4	10.5	2.2	0.4	38.9
男	12.6	9.5	29.5	29.5	13.7	4.2	1.1	43.2
女	23.1	8.2	32.1	27.6	8.2	0.7	0.0	35.8
但 馬	11.0	9.2	22.3	37.3	19.9	0.0	0.3	57.2
男	6.3	7.1	23.6	37.0	25.2	0.0	0.8	62.2
女	14.5	10.9	21.2	37.6	15.8	0.0	0.0	53.3

		CPIコード						(再掲) 3≤	
		0	1	2	3	4	不明 対象歯なし		
圏 域 別	丹波	15.6	14.5	26.2	29.2	13.1	1.0	0.4	42.3
	男	8.5	15.6	25.9	30.0	17.0	2.2	0.7	47.0
	女	19.4	13.9	26.3	28.8	11.0	0.4	0.2	39.8
	淡路	8.4	7.0	42.9	31.6	9.2	0.6	0.2	40.9
	男	6.4	7.7	40.0	33.2	11.8	0.5	0.5	45.0
	女	10.1	6.4	45.3	30.3	7.1	0.7	0.0	37.5





5 歯間部清掃用具の使用状況

		全 県		
		使用して いる	使用して いない	不明
全	体	46.8	51.9	1.3
	男	35.5	63.2	1.3
	女	52.7	46.0	1.3
年 齢 別	20歳	14.8	84.3	0.9
	男	5.3	94.7	0.0
	女	19.7	78.9	1.4
	25歳	25.6	72.6	1.8
	男	12.4	85.3	2.3
	女	29.5	68.9	1.6
	30歳	37.7	60.5	1.8
	男	19.6	77.4	3.0
	女	41.4	57.0	1.6
	35歳	42.3	56.5	1.2
	男	23.2	75.6	1.2
	女	46.6	52.2	1.2
40歳	45.3	53.7	1.0	
男	31.0	68.1	0.9	
女	50.6	48.3	1.1	
45歳	45.6	53.2	1.1	
男	31.8	67.3	1.0	
女	51.6	47.2	1.2	
50歳	48.8	50.4	0.8	
男	35.6	63.9	0.5	
女	55.3	43.7	1.0	

		全 県		
		使用して いる	使用して いない	不明
55歳		49.9	49.2	0.8
男		36.5	62.8	0.7
女		56.7	42.4	0.9
60歳		49.9	49.0	1.0
男		37.0	62.1	0.9
女		57.7	41.2	1.1
65歳		49.1	49.7	1.2
男		37.6	61.3	1.1
女		57.0	41.8	1.3
70歳		50.2	48.1	1.7
男		40.3	58.1	1.7
女		58.1	40.2	1.8
75歳		51.0	47.0	2.0
男		41.8	56.3	2.0
女		58.4	39.5	2.1
80歳		48.8	48.0	3.2
男		43.2	53.9	3.0
女		54.7	41.8	3.4
85歳		42.9	54.2	2.9
男		39.9	57.1	2.9
女		46.5	50.7	2.8

	40歳			50歳			60歳		
	使用している	使用していない	不明	使用している	使用していない	不明	使用している	使用していない	不明
全 県	45.3	53.7	1.0	48.8	50.4	0.8	49.9	49.0	1.0
男	31.0	68.1	0.9	35.6	63.9	0.5	37.0	62.1	0.9
女	50.6	48.3	1.1	55.3	43.7	1.0	57.7	41.2	1.1
神 戸	49.8	48.9	1.3	57.4	41.7	0.9	54.1	45.9	0.0
男	36.6	62.9	0.5	45.3	54.2	0.4	42.9	57.1	0.0
女	53.8	44.7	1.6	62.4	36.5	1.1	58.5	41.5	0.0
阪神南	55.8	43.3	0.9	58.2	40.7	1.1	58.3	39.3	2.5
男	37.2	61.7	1.1	46.8	52.3	0.9	42.1	56.2	1.7
女	60.4	38.8	0.8	63.6	35.2	1.2	67.6	29.5	2.9
阪神北	33.2	66.0	0.8	47.1	50.9	2.0	52.8	46.0	1.2
男	23.2	76.1	0.7	33.9	65.2	0.9	42.9	56.3	0.8
女	37.2	61.9	0.9	52.8	44.6	2.5	57.8	40.8	1.4
東播磨	33.0	67.0	0.0	38.6	61.4	0.0	36.3	63.7	0.0
男	20.5	79.5	0.0	24.8	75.2	0.0	20.4	79.6	0.0
女	40.1	59.9	0.0	46.3	53.7	0.0	45.8	54.2	0.0
北播磨	37.1	59.7	3.2	39.6	60.2	0.2	48.0	50.7	1.2
男	27.2	70.1	2.7	28.2	71.2	0.6	20.4	79.6	0.0
女	42.3	54.3	3.4	45.7	54.3	0.0	45.8	54.2	0.0
中播磨	44.7	54.2	1.1	45.8	54.2	0.0	47.3	50.7	2.1
男	39.1	60.9	0.0	20.5	79.5	0.0	44.0	52.0	4.0
女	46.6	51.9	1.5	53.5	46.5	0.0	49.0	50.0	1.0
西播磨	36.1	63.5	0.4	48.2	50.3	1.6	48.0	52.0	0.0
男	29.5	69.2	1.3	33.8	66.2	0.0	33.6	66.4	0.0
女	39.0	61.0	0.0	57.3	40.2	2.6	57.9	42.1	0.0
但 馬	52.2	47.4	0.4	49.8	50.2	0.0	50.0	50.0	0.0
男	39.8	59.0	1.2	36.8	63.2	0.0	36.7	63.3	0.0
女	58.2	41.8	0.0	57.5	42.5	0.0	60.3	39.7	0.0
丹 波	52.2	47.6	0.3	53.8	46.2	0.0	57.4	42.4	0.1
男	42.4	57.6	0.0	42.1	57.9	0.0	44.4	55.6	0.0
女	56.0	43.5	0.4	60.4	39.6	0.0	64.3	35.5	0.2
淡 路	37.0	61.2	1.8	38.5	60.6	0.9	43.7	53.6	2.7
男	26.3	72.0	1.7	26.5	72.1	1.5	34.1	63.2	2.7
女	43.9	54.2	1.8	46.7	52.8	0.5	51.7	45.7	2.6





6 定期的な歯石除去や歯面清掃の受診状況

		全 県		
		受診して いる	受診して いない	不明
全 体		37.0	61.0	2.0
	男	33.8	64.4	1.8
	女	38.7	59.2	2.1
年 齢	20歳	16.3	83.7	0.0
	男	14.9	85.1	0.0
	女	17.0	83.0	0.0
	25歳	21.3	77.5	1.3
	男	17.9	81.7	0.5
	女	22.2	76.3	1.5
	30歳	27.2	70.7	2.2
	男	21.5	76.1	2.4
	女	28.3	69.5	2.1
	35歳	31.8	66.5	1.7
	男	24.3	74.0	1.7
	女	33.5	64.8	1.7
別	40歳	33.3	65.4	1.3
	男	25.5	73.5	1.0
	女	36.2	62.4	1.4
	45歳	32.6	66.1	1.3
	男	26.0	73.0	1.0
	女	35.4	63.2	1.4
50歳		33.9	64.7	1.4
	男	28.2	70.6	1.2
	女	36.7	61.8	1.5

		全 県		
		受診して いる	受診して いない	不明
55歳		36.3	62.2	1.5
男		29.8	68.8	1.4
女		39.6	58.9	1.5
60歳		41.9	56.3	1.8
男		38.3	60.0	1.7
女		44.1	54.1	1.8
65歳		40.2	57.7	2.1
男		37.2	61.0	1.8
女		42.3	55.4	2.2
70歳		44.2	52.6	3.2
男		41.1	56.5	2.4
女		46.6	49.4	3.9
75歳		47.2	49.1	3.7
男		44.7	52.7	2.6
女		49.3	46.1	4.6
80歳		45.0	50.4	4.6
男		45.1	51.3	3.6
女		44.9	49.5	5.6
85歳		40.2	55.7	4.2
男		40.5	55.4	4.1
女		39.7	56.0	4.3

		40歳			50歳			60歳		
		受診して いる	受診して いない	不明	受診して いる	受診して いない	不明	受診して いる	受診して いない	不明
全 県		33.3	65.4	1.3	33.9	64.7	1.4	41.9	56.3	1.8
	男	25.5	73.5	1.0	28.2	70.6	1.2	38.3	60.0	1.7
	女	36.2	62.4	1.4	36.7	61.8	1.5	44.1	54.1	1.8
圏 域 別	神 戸	37.8	61.4	0.8	42.4	56.8	0.8	58.1	41.9	0.0
	男	28.9	71.1	0.0	35.6	64.0	0.4	61.9	38.1	0.0
	女	40.5	58.4	1.1	45.2	53.9	0.9	56.6	43.4	0.0
	阪神南	34.2	64.3	1.5	32.7	63.4	3.9	42.4	53.3	4.4
	男	24.9	74.0	1.1	28.9	68.1	3.0	37.0	58.7	4.3
	女	36.5	61.9	1.6	34.5	61.2	4.4	45.5	50.1	4.4
	阪神北	36.1	63.7	0.2	37.0	62.6	0.4	48.4	51.2	0.4
	男	34.4	65.6	0.0	30.8	68.3	0.9	46.4	53.6	0.0
	女	36.8	62.9	0.3	39.8	60.0	0.2	49.4	50.0	0.6
	東播磨	16.0	84.0	0.0	20.3	79.7	0.0	24.6	75.4	0.0
	男	11.7	88.3	0.0	16.0	84.0	0.0	22.5	77.5	0.0
	女	18.3	81.7	0.0	22.7	77.3	0.0	25.9	74.1	0.0
	北播磨	29.8	63.1	7.1	31.3	64.5	4.3	36.3	57.3	6.4
	男	25.5	68.5	6.0	28.8	66.3	4.9	22.5	77.5	0.0
	女	32.0	60.3	7.7	32.6	63.5	3.9	25.9	74.1	0.0
	中播磨	21.2	76.5	2.2	36.7	62.7	0.6	37.7	60.3	2.1
	男	19.6	78.3	2.2	20.5	79.5	0.0	38.0	58.0	4.0
	女	21.8	75.9	2.3	41.7	57.5	0.8	37.5	61.5	1.0
	西播磨	31.0	68.2	0.8	30.9	68.6	0.5	43.3	55.7	1.0
	男	24.4	74.4	1.3	24.3	75.7	0.0	38.5	61.5	0.0
	女	33.9	65.5	0.6	35.0	64.1	0.9	46.6	51.7	1.7
	但 馬	24.5	74.7	0.8	20.2	79.3	0.5	28.7	69.9	1.4
	男	16.9	81.9	1.2	11.8	88.2	0.0	24.7	74.1	1.3
	女	28.2	71.2	0.6	25.2	74.0	0.8	31.9	66.7	1.5
丹 波	61.7	38.3	0.0	50.3	49.4	0.3	64.2	35.6	0.1	
男	44.4	55.6	0.0	45.5	54.5	0.0	61.1	38.9	0.0	
女	68.5	31.5	0.0	53.0	46.5	0.5	65.9	33.9	0.2	
淡 路	30.5	68.2	1.3	29.0	70.4	0.6	31.6	66.5	1.8	
男	23.4	75.4	1.1	25.7	74.3	0.0	31.4	67.3	1.4	
女	35.1	63.5	1.5	31.2	67.8	1.0	31.8	65.9	2.2	





7 定期的な歯科健診の受診状況

年齢別	性別	全県			
		受診している (%)	受診していない (%)	不明 (%)	
全体		37.4	61.2	1.4	
	男	33.9	64.7	1.4	
	女	39.2	59.3	1.5	
20歳	男	21.7	75.3	3.0	
	女	18.4	78.9	2.6	
	25歳	男	23.4	73.4	3.2
		女	20.6	76.1	3.2
	30歳	男	24.3	74.5	1.2
		女	28.8	70.5	0.6
	35歳	男	21.2	77.4	1.3
		女	30.4	69.1	0.5
	40歳	男	33.3	66.2	0.5
		女	22.6	76.9	0.5
	45歳	男	35.7	63.8	0.5
		女	33.2	65.8	1.0
50歳	男	24.5	74.3	1.2	
	女	36.5	62.6	0.9	
55歳	男	32.5	66.3	1.2	
	女	25.4	73.5	1.2	
60歳	男	35.6	63.3	1.2	
	女	34.0	64.8	1.2	
65歳	男	29.6	69.4	1.0	
	女	36.2	62.5	1.3	

年齢別	性別	全県		
		受診している (%)	受診していない (%)	不明 (%)
55歳		36.1	62.8	1.1
	男	30.8	68.2	1.0
	女	38.8	60.1	1.2
60歳		41.2	57.4	1.3
	男	37.8	61.1	1.1
	女	43.3	55.2	1.5
65歳		39.7	58.7	1.6
	男	37.1	61.6	1.3
	女	41.6	56.7	1.8
70歳		44.7	52.9	2.4
	男	40.6	57.4	2.0
	女	47.9	49.3	2.8
75歳		48.1	49.3	2.6
	男	44.4	53.5	2.1
	女	51.1	45.9	3.0
80歳		48.3	49.4	2.4
	男	47.5	50.6	1.9
	女	49.1	48.1	2.8
85歳		44.0	53.9	2.1
	男	43.4	54.8	1.7
	女	44.7	52.8	2.5


圏域別	年齢別	性別	40歳			50歳			60歳		
			受診している (%)	受診していない (%)	不明 (%)	受診している (%)	受診していない (%)	不明 (%)	受診している (%)	受診していない (%)	不明 (%)
全県	全体		33.2	65.8	1.0	34.0	64.8	1.2	41.2	57.4	1.3
	男		24.5	74.3	1.2	29.6	69.4	1.0	37.8	61.1	1.1
	女		36.5	62.6	0.9	36.2	62.5	1.3	43.3	55.2	1.5
神戸	全体		32.6	66.1	1.3	36.4	62.6	1.0	52.7	47.3	0.0
	男		22.8	76.0	1.2	32.4	66.2	1.3	47.6	52.4	0.0
	女		35.5	63.1	1.3	38.0	61.1	0.9	54.7	45.3	0.0

		40歳			50歳			60歳		
		受診している	受診していない	不明	受診している	受診していない	不明	受診している	受診していない	不明
別	阪神南	38.1	60.6	1.3	37.0	59.9	3.1	44.7	49.8	5.5
	男	26.8	71.0	2.2	33.2	64.3	2.6	40.4	53.6	6.0
	女	40.8	58.0	1.1	38.8	57.8	3.4	47.2	47.7	5.2
域	阪神北	34.0	65.2	0.8	39.9	58.6	1.5	49.7	48.7	1.6
	男	29.0	69.2	1.8	34.4	64.7	0.9	47.6	51.6	0.8
	女	36.1	63.5	0.4	42.3	55.9	1.8	50.8	47.2	2.0
城	東播磨	15.2	84.8	0.0	19.5	80.5	0.0	19.8	80.2	0.0
	男	11.1	88.9	0.0	16.5	83.5	0.0	18.8	81.3	0.0
	女	17.6	82.4	0.0	21.1	78.9	0.0	20.4	79.6	0.0
別	北播磨	33.3	64.8	1.9	31.9	67.2	0.9	35.5	63.9	0.6
	男	27.7	70.7	1.6	31.9	67.5	0.6	18.8	81.3	0.0
	女	36.3	61.7	2.0	31.9	67.1	1.0	20.4	79.6	0.0
域	中播磨	32.4	67.6	0.0	41.0	59.0	0.0	42.5	57.5	0.0
	男	34.8	65.2	0.0	25.6	74.4	0.0	38.0	62.0	0.0
	女	31.6	68.4	0.0	45.7	54.3	0.0	44.8	55.2	0.0
別	西播磨	26.3	72.9	0.8	26.2	73.8	0.0	32.7	66.0	1.3
	男	17.9	79.5	2.6	21.6	78.4	0.0	29.5	68.9	1.6
	女	29.9	70.1	0.0	29.1	70.9	0.0	34.8	64.0	1.1
域	但馬	26.1	73.9	0.0	22.2	77.8	0.0	29.8	70.2	0.0
	男	15.7	84.3	0.0	11.8	88.2	0.0	23.4	76.6	0.0
	女	31.2	68.8	0.0	28.3	71.7	0.0	34.8	65.2	0.0
別	丹波	64.6	35.2	0.3	50.0	48.8	1.2	65.3	34.6	0.1
	男	51.5	48.5	0.0	49.6	50.4	0.0	63.7	36.3	0.0
	女	69.8	29.8	0.4	50.2	47.9	1.8	66.1	33.7	0.2
域	淡路	31.2	67.7	1.1	29.0	69.6	1.5	30.8	67.6	1.6
	男	25.7	73.7	0.6	25.7	72.1	2.2	32.3	67.3	0.5
	女	34.7	63.8	1.5	31.2	67.8	1.0	29.6	67.8	2.6



8020目標値達成者率

	全 体	全 県	地 域 別									
			神 戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但 馬	丹 波	淡 路
全 体	83.1	86.1	83.4	85.9	—	85.7	84.7	81.8	77.0	81.1	78.2	
男	81.9	88.6	84.0	84.5	—	83.7	85.5	81.9	72.5	81.6	74.5	
	83.8	85.2	0.8	86.6	—	87.0	84.4	81.6	80.9	80.9	81.3	
40歳	82.5	81.7	83.2	84.2	81.9	86.1	83.8	80.0	85.4	77.2	80.0	
男	83.5	85.3	86.3	84.4	82.2	87.0	82.6	76.9	86.7	80.8	73.1	
	82.2	80.6	82.4	84.1	81.7	85.7	84.2	81.4	84.7	75.8	84.5	
45歳	83.3	81.0	83.2	85.4	81.9	88.1	84.9	84.2	86.7	81.9	83.4	
男	84.3	84.3	86.3	84.4	82.2	88.7	88.5	84.3	86.5	85.0	76.7	
	82.8	79.9	82.1	85.8	81.7	87.7	83.5	84.2	86.9	80.6	88.1	
50歳	93.3	94.4	92.2	95.0	92.8	93.6	95.2	93.7	91.6	91.4	92.5	
男	92.7	92.9	91.9	94.2	93.7	93.3	100.0	93.2	88.2	90.1	91.9	
	93.7	95.0	92.3	95.3	92.2	93.8	93.7	94.0	93.7	92.2	93.0	
55歳	92.9	94.4	92.0	95.3	92.8	92.6	94.5	91.6	90.1	93.0	89.1	
男	92.0	93.1	91.7	94.8	93.7	92.5	97.1	90.2	84.9	91.7	87.7	
	93.4	94.9	92.2	95.6	92.2	92.7	93.8	92.6	93.2	93.7	90.2	
60歳	86.3	95.9	87.7	90.3	83.8	86.7	87.7	85.7	83.7	85.4	83.2	
男	83.9	100.0	83.8	88.9	82.5	84.2	88.0	85.2	77.8	81.9	83.2	
	87.7	94.3	89.9	91.0	84.6	88.2	87.5	86.0	88.2	87.3	83.1	
65歳	84.5	94.8	87.7	87.3	83.8	86.5	82.1	83.0	78.6	84.0	81.4	
男	82.1	90.9	84.3	86.0	82.5	84.7	81.4	84.5	74.2	80.2	79.7	
	86.1	97.2	89.7	88.0	84.6	87.9	82.5	81.9	83.2	85.9	83.1	
70歳	78.2	92.9	74.4	81.0	75.5	81.4	75.0	81.8	71.4	84.8	79.0	
男	78.0	92.6	77.1	81.1	76.5	80.6	78.8	81.7	69.1	96.0	74.6	
	78.4	93.2	72.5	80.9	74.6	82.2	73.1	81.9	74.0	82.0	83.5	
75歳	73.8	91.6	74.0	78.4	75.5	78.3	78.4	77.3	60.6	51.1	66.6	
男	74.5	97.0	76.8	78.9	76.5	77.6	84.8	78.2	58.8	63.4	62.7	
	73.3	88.0	72.1	78.0	74.6	78.9	75.5	76.2	62.4	45.7	70.7	
80歳	59.9	88.6	66.7	66.5	—	75.8	69.7	66.2	54.3	27.9	52.0	
男	61.5	88.9	66.7	65.7	—	72.3	69.2	73.4	52.2	50.0	50.0	
	58.3	88.5	66.7	67.3	—	81.4	70.0	59.4	57.0	13.4	54.1	



(参考) 8020目標値

- 35～39歳 : 28歯以上
- 40～44歳 : 28歯以上
- 45～49歳 : 25歯以上
- 50～54歳 : 25歯以上
- 55～59歳 : 24歯以上
- 60～64歳 : 24歯以上
- 65～69歳 : 22歯以上
- 70～74歳 : 22歯以上
- 75～79歳 : 20歯以上
- 80～84歳 : 20歯以上

